

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | tog@nt-rt.ru

Технические характеристики на линии раздачи ISOLA компании **TECFRIGO**

Виды товаров: охлаждаемые столы, витрины тепловые, витрины охлаждаемые, прилавки-витрины, модули нейтральные, прилавки для столовых приборов, мармиты для 1-х блюд, мармиты для 2-х блюд, мармиты для горячих напитков, прилавки поворотные, прилавки кассовые, прилавки для подогрева тарелок и др.



ISOLA RUGIADA 6 M

Temperature (°C)	-1/0
Dimensions LxPxH (mm)	2062x750x1530
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	410
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	128
Lock	.
Light	Led
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA RUGIADA 6 M

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, horizontal, motorized dome, wood



ISOLA MURALE 6 M DRY

Temperature (°C)	+30/+70
Dimensions LxPxH (mm)	2062x750x1524
Refrigeration	-
Capacity (L)	-
Shelves	-
Basins maximum capacity (accessories)	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1
	SOLO h. 150 mm.
Absorption (W)	3200
Umidity (%)	-
Type of defrost	-
Evaporation	-
Voltage (V)	400v/3/50Hz
Refrigerant	.
Net weight (Kg)	145
Lock	.
Light	Heating lamps
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA MURALE 6 M DRY

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, gastronorm, horizontal, hot, motorized dome, wall, wall mount, wood



COLD
ENGINEERING
TECFRIGO

ISOLA MURALE 6 M BM

Temperature (°C)	+30/+90
Dimensions LxPxH (mm)	2062x750x1524
Refrigeration	-
Capacity (L)	-
Shelves	-
Basins maximum capacity (accessories)	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1
	SOLO h. 150 mm.
Absorption (W)	4200
Umidity (%)	-
Type of defrost	-
Evaporation	-
Voltage (V)	400v/3/50Hz
Refrigerant	.
Net weigth (Kg)	145
Lock	.
Light	Heating lamps
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA MURALE 6 M BM

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, gastronorm, horizontal, hot, motorized dome, wall, wall mount, wood



COLD
ENGINEERING
TECFRIGO

ISOLA MURALE 4 M BM

Temperature (°C)	+30/+90
Dimensions LxPxH (mm)	1422x750x1524
Refrigeration	-
Capacity (L)	-
Shelves	-
Basins maximum capacity (accessories)	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1
	SOLO h. 150 mm.
Absorption (W)	3300
Umidity (%)	-
Type of defrost	-
Evaporation	-
Voltage (V)	230v/1/50Hz
Refrigerant	.
Net weight (Kg)	123
Lock	.
Light	Heating lamps
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA MURALE 4 M BM

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, gastronorm, horizontal, hot, motorized dome, wall, wall mount, wood



ISOLA MSERVICE 6 BM

Temperature (°C)	+30/+90
Dimensions LxPxH (mm)	2062x750x1348
Refrigeration	-
Capacity (L)	-
Shelves	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 - Solo h. 150 mm.
Basins maximum capacity (accessories)	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1
	SOLO h. 150 mm.
Absorption (W)	4200
Umidity (%)	-
Type of defrost	-
Evaporation	-
Voltage (V)	400v/3/50Hz
Refrigerant	.
Net weigth (Kg)	134
Lock	.
Light	Heating lamps
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA MSERVICE 6 BM

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, gastronorm, horizontal, hot, wood



COLD
ENGINEERING
TECFRIGO

ISOLA MSERVICE 6

Temperature (°C)	+4/+10
Dimensions LxPxH (mm)	2062x750x1348
Refrigeration	Static
Capacity (L)	-
Shelves	-
Basins maximum capacity (accessories)	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1
	h. max 150 mm. - h. min. 100 mm.
Absorption (W)	350
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	131
Lock	.
Light	Led
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA MSERVICE 6

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, gastronorm, horizontal, wood



COLD
ENGINEERING
TECFRIGO

ISOLA MSERVICE 4 HOT

Temperature (°C) +30/+90

Dimensions LxPxH (mm) 1422x750x1348

Refrigeration -

Capacity (L) -

Shelves -

Basins maximum capacity (access) 1/2 - 2/3 - 1/1 - 2/1



COLD
ENGINEERING
h max 65 mm. - h. min. 20 mm.

TECFRIGO 2100

Absorption (W) 2100

Umidity (%) -

ISOLA MSERVICE 4 HOT

Type of defrost -

Evaporation -

Voltage (V) 230v/1/50Hz

Refrigerant .

Net weigth (Kg) 117

Lock .

Light Heating lamps

Standard colors Untreated raw wood (to be painted),
Light walnut coloured wood,
Deep walnut coloured wood,

Extra colors Rough wood treated,
Ral,

SKU: ISOLA MSERVICE 4 HOT

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, horizontal, hot, wood



COLD
ENGINEERING
TECFRIGO

ISOLA MSERVICE 4

Temperature (°C)	+4/+10
Dimensions LxPxH (mm)	1422x750x1348
Refrigeration	Static
Capacity (L)	-
Shelves	-
Basins maximum capacity (accessories)	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1
Absorption (W)	340
Umidity (%)	h. max 150 mm. - h. min. 100 mm.
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	119
Lock	.
Light	Led
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA MSERVICE 4

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, gastronorm, horizontal, wood



ISOLA GOURMET 6 M

Temperature (°C)	-1/0
Dimensions LxPxH (mm)	2062x750x1528
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	410
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	171
Lock	.
Light	Led
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA GOURMET 6 M

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, fish, horizontal, meat, wood



ISOLA BAHIA 6

Temperature (°C)	-2/0
Dimensions LxPxH (mm)	2062x750x1285
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	410
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	182
Lock	.
Light	Led
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA BAHIA 6

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, fish, horizontal, wood



ISOLA BAHIA 4

Temperature (°C)	-2/0
Dimensions LxPxH (mm)	1422x750x1285
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	390
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	144
Lock	.
Light	Led
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA BAHIA 4

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, fish, horizontal, wood



ISOLA 6 M HOT

Temperature (°C)	+30/+90
Dimensions LxPxH (mm)	2062x750x1524
Refrigeration	-
Capacity (L)	-
Shelves	-
Basins maximum capacity (accessories)	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1
	h. max 65 mm. - h. min. 20 mm.
Absorption (W)	3000
Umidity (%)	-
Type of defrost	-
Evaporation	-
Voltage (V)	230v/1/50Hz
Refrigerant	.
Net weigth (Kg)	101
Lock	.
Light	Heating lamps
Standard colors	Untreated raw wood (to be painted), Light walnut coloured wood, Deep walnut coloured wood,
Extra colors	Rough wood treated, Ral,

SKU: ISOLA 6 M HOT

CATEGORIES: Catering - Food, Isola, Tecfrigo

TAGS: buffet, horizontal, hot, wood

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru