

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

Технические характеристики на витрины охлаждаемые для овощей, фруктов, салатов GASTROSERVICE компании **TECFRIGO**

PRODUCT INFO		X REMOVE
		GASTROSERVICE DRY 1800 SS
TEMPERATURE (°C)		+30/+70
WIDTH		1731
LENGTH		380
HEIGHT		370
CAPACITY (L)		-
SHELVES		-
STANDARD BASINS		-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.
ABSORPTION (W)		1400
UMIDITY (%)		-
TYPE OF DEFROST		-
EVAPORATION		-
VOLTAGE (V)		230v/1/50Hz
REFRIGERANT		-
NET WEIGTH (KG)		25
LOCK		-
LIGHT		No
REFRIGERATION		-
STANDARD COLORS		inox
EXTRA COLORS		-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	GASTROSERVICE COLD 1800 C	GASTROSERVICE DRY 1800 C	GASTROSERVICE COLD 1800 SS
TEMPERATURE (°C)	+2/+10	+30/+70	+2/+10
WIDTH	1731	1731	1731
LENGTH	380	380	380
HEIGHT	361	361	370
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.
ABSORPTION (W)	130	1400	130
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Manual defrosting	-	Manual defrosting
EVAPORATION	MAN	-	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	-	R290
NET WEIGTH (KG)	70	25	70
LOCK	-	-	-
LIGHT	No	No	No
REFRIGERATION	Static	-	Static
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	GASTROSERVICE DRY 1600	GASTROSERVICE COLD 1600 C	GASTROSERVICE DRY 1600 C
TEMPERATURE (°C)	+30/+70	+2/+10	+30/+70
WIDTH	1554	1554	1554
LENGTH	380	380	380
HEIGHT	238	361	361
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.
ABSORPTION (W)	1400	130	1400
UMIDITY (%)	-	-	-
TYPE OF DEFROST	-	Manual defrosting	-
EVAPORATION	-	MAN	-
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	-	R290	-
NET WEIGTH (KG)	23	60	23
LOCK	-	-	-
LIGHT	No	No	No
REFRIGERATION	-	Static	-
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-



COLD
ENGINEERING
TECFRIGO

PRODUCT INFO	X REMOVE		
			
	GASTROSERVICE COLD 1600 SS	GASTROSERVICE DRY 1600 SS	GASTROSERVICE COLD 1600
TEMPERATURE (°C)	+2/+10	+30/+70	+2/+10
WIDTH	1554	1554	1554
LENGTH	380	380	380
HEIGHT	370	370	238
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.
ABSORPTION (W)	130	1400	130
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Manual defrosting	-	Manual defrosting
EVAPORATION	MAN	-	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	-	R290
NET WEIGHT (KG)	60	23	60
LOCK	-	-	-
LIGHT	No	No	No
REFRIGERATION	Static	-	Static
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	GASTROSERVICE DRY 1200 C	GASTROSERVICE COLD 1400 C	GASTROSERVICE DRY 1400 C
TEMPERATURE (°C)	+30/+70	+2/+10	+30/+70
WIDTH	1200	1377	1377
LENGTH	380	380	380
HEIGHT	361	361	361
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.
ABSORPTION (W)	1000	130	1400
UMIDITY (%)	-	-	-
TYPE OF DEFROST	-	Manual defrosting	-
EVAPORATION	-	MAN	-
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	-	R290	-
NET WEIGHT (KG)	18	52	22
LOCK	-	-	-
LIGHT	No	No	No
REFRIGERATION	-	Static	-
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	GASTROSERVICE COLD 1200	GASTROSERVICE DRY 1200	GASTROSERVICE COLD 1200 C
TEMPERATURE (°C)	+2/+10	+30/+70	+2/+10
WIDTH	1200	1200	1200
LENGTH	380	380	380
HEIGHT	238	238	361
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.
ABSORPTION (W)	130	1000	130
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Manual defrosting	-	Manual defrosting
EVAPORATION	MAN	-	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	-	R290
NET WEIGTH (KG)	46	18	46
LOCK	-	-	-
LIGHT	No	No	No
REFRIGERATION	Static	-	Static
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		GASTROSERVICE DRY 1000 SS	GASTROSERVICE COLD 1000	GASTROSERVICE DRY 1000
TEMPERATURE (°C)		+30/+70	+2/+10	+30/+70
WIDTH		1023	1023	1023
LENGTH		380	380	380
HEIGHT		370	238	238
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.
ABSORPTION (W)		1000	130	1000
UMIDITY (%)		-	-	-
TYPE OF DEFROST		-	Manual defrosting	-
EVAPORATION		-	MAN	-
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		-	R290	-
NET WEIGHT (KG)		17	40	17
LOCK		-	-	-
LIGHT		No	No	No
REFRIGERATION		-	Static	-
STANDARD COLORS		inox	inox	inox
EXTRA COLORS		-	-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	GASTROSERVICE DRY 1000 SS	GASTROSERVICE COLD 1000	GASTROSERVICE DRY 1000
TEMPERATURE (°C)	+30/+70	+2/+10	+30/+70
WIDTH	1023	1023	1023
LENGTH	380	380	380
HEIGHT	370	238	238
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.	GN 1/4-1/3-1/2-2/3-1/1-1/6-1/9 h. MAX 100 mm.
ABSORPTION (W)	1000	130	1000
UMIDITY (%)	-	-	-
TYPE OF DEFROST	-	Manual defrosting	-
EVAPORATION	-	MAN	-
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	-	R290	-
NET WEIGTH (KG)	17	40	17
LOCK	-	-	-
LIGHT	No	No	No
REFRIGERATION	-	Static	-
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru