

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

**Технические характеристики на
прочие шкафы и прилавки AGE FA,
TGE FA, FASTFOOD FA, UNICO FA, VPD
FA, SALAD FA**

КОМПАНИИ TECFRIGO

PRODUCT INFO		X REMOVE	X REMOVE
			
		VPD FA 38 200	VPD FA 33 200
TEMPERATURE (°C)		+2/+8	+2/+8
WIDTH		2000	2000
LENGTH		395	335
HEIGHT		435	435
CAPACITY (L)		78	63
SHELVES		-	-
STANDARD BASINS		-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		n° 9 - GN 1/3 - h. max 150	n° 10 - GN 1/4 - h. max 150
ABSORPTION (W)		230	230
UMIDITY (%)		-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R600a	R600a
NET WEIGTH (KG)		37	36
LOCK		-	-
LIGHT		-	-
REFRIGERATION		Static	Static
STANDARD COLORS		inox	inox
EXTRA COLORS		-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	VPD FA 38 140	VPD FA 38 180	VPD FA 33 180
TEMPERATURE (°C)	+2/+8	+2/+8	+2/+8
WIDTH	1400	1800	1800
LENGTH	395	395	335
HEIGHT	435	435	435
CAPACITY (L)	50	69	56
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	n° 5 - GN 1/3 - h. max 150	n° 8 - GN 1/3 - h. max 150	n° 9 - GN 1/4 - h. max 150
ABSORPTION (W)	150	150	150
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	MAN	MAN	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R600a	R600a	R600a
NET WEIGTH (KG)	30	35	34
LOCK	-	-	-
LIGHT	-	-	-
REFRIGERATION	Static	Static	Static
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	TGE FA 136 NT TOP	TGE FA 136 PTS ALZ SG	TGE FA 136 PTS TOP SG
TEMPERATURE (°C)	-10/-20	-2/+8	-2/+8
WIDTH	1360	1390	1390
LENGTH	700	730	730
HEIGHT	860	910	910
CAPACITY (L)	314	314	314
SHELVES	n° 2 mm. 325x530 - GN 1/1	2 grid shelves 530 X 325 mm	2 grid shelves 530 X 325 mm
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	750	-	-
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Electric automatic defrosting	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R600a	R600a
NET WEIGTH (KG)	103	113	113
LOCK	-	-	-
LIGHT	-	-	-
REFRIGERATION	Ventilated	Ventilated	Ventilated
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO		X REMOVE
		RTGE FA 220 NT TOP
TEMPERATURE (°C)		-10/-20
WIDTH		2230
LENGTH		700
HEIGHT		860
CAPACITY (L)		616
SHELVES		Gr° 4 mm. 325x530 - GN 1/1
STANDARD BASINS		-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-
ABSORPTION (W)		750
UMIDITY (%)		-
TYPE OF DEFROST		Electric automatic defrosting
EVAPORATION		AUT
VOLTAGE (V)		230v/1/50Hz
REFRIGERANT		R290
NET WEIGTH (KG)		160
LOCK		-
LIGHT		-
REFRIGERATION		Ventilated
STANDARD COLORS		inox
EXTRA COLORS		-

PRODUCT INFO	X REMOVE		X REMOVE	
				
	SALAD FA 1300		SALAD FA 1300 TOP	
TEMPERATURE (°C)		+2/+8		+2/+8
WIDTH		1365		1370
LENGTH		700		700
HEIGHT		882		875
CAPACITY (L)		400		400
SHELVES		n° 3 mm. 570x323		n° 3 mm. 530x328
STANDARD BASINS		-		-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		n° 4 - GN 1/1 - h. 150		-
ABSORPTION (W)		230		230
UMIDITY (%)		-		-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause		Automatic defrosting by thermostatic pause
EVAPORATION		AUT		AUT
VOLTAGE (V)		230v/1/50Hz		230v/1/50Hz
REFRIGERANT		R600a		R600a
NET WEIGTH (KG)		107		110
LOCK		-		-
LIGHT		-		-
REFRIGERATION		Static fan assisted		Static fan assisted
STANDARD COLORS		inox		inox
EXTRA COLORS		-		-



COLD
ENGINEERING
TECFRIGO

PRODUCT INFO	X REMOVE		
			
	SALAD FA 900	SALAD FA 900 TOP	SALAD FA 900 TOP 4C
TEMPERATURE (°C)	+2/+8	+2/+8	+2/+8
WIDTH	900	903	903
LENGTH	700	700	700
HEIGHT	882	875	875
CAPACITY (L)	257	257	257
SHELVES	n° 2 mm. 570x323	n° 2 mm. 530x328	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	n° 2 - GN 1/1 - h. 150 n° 3 - GN 1/6 - h. 150	-	-
ABSORPTION (W)	230	230	230
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R600a	R600a	R600a
NET WEIGH (KG)	70	72	89
LOCK	-	-	-
LIGHT	-	-	-
REFRIGERATION	Static fan assisted	Static fan assisted	Static fan assisted
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-



COLD
ENGINEERING
TECFRIGO

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	FASTFOOD FA 136/70	FASTFOOD FA 151/80	FASTFOOD FA 180/70
TEMPERATURE (°C)	+2+8	+2+8	+2+8
WIDTH	1360	1510	1795
LENGTH	700	800	700
HEIGHT	1080	1080	1080
CAPACITY (L)	-	-	-
SHELVES	n° 2 - mm. 530x325	n° 2 - mm. 400x600	n° 3 - mm. 530x325
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	350	280	350
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	125	140	155
LOCK	-	-	-
LIGHT	-	-	-
REFRIGERATION	Ventilated	Ventilated	Ventilated
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO		X REMOVE
		FASTFOOD FA 202/80
TEMPERATURE (°C)		+2+8
WIDTH		2020
LENGTH		800
HEIGHT		1080
CAPACITY (L)		-
SHELVES		n° 3 - mm. 400x600
STANDARD BASINS		-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-
ABSORPTION (W)		340
UMIDITY (%)		-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause
EVAPORATION		AUT
VOLTAGE (V)		230v/1/50Hz
REFRIGERANT		R290
NET WEIGTH (KG)		160
LOCK		-
LIGHT		-
REFRIGERATION		Ventilated
STANDARD COLORS		inox
EXTRA COLORS		-

PRODUCT INFO		X REMOVE 	X REMOVE 	X REMOVE 
		AGE FA 700 PTS GLASS	AGE FA 1400 PTS	AGE FA 1400 PTS GLASS
	TEMPERATURE (°C)	-2/+8	-2/+8	-2/+8
	WIDTH	740	1480	1480
	LENGTH	830	830	830
	HEIGHT	2010	2010	2010
	CAPACITY (L)	685	1476	1476
	SHELVES	n° 3 mm. 534x650 - GN 2/1	n° 6 mm. 534x650 - GN 2/1	n° 6 mm. 534x650 - GN 2/1
	STANDARD BASINS	-	-	-
	BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
	ABSORPTION (W)	350	800	800
	UMIDITY (%)	-	-	-
	TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
	EVAPORATION	AUT	AUT	AUT
	VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
	REFRIGERANT	R290	R290	R290
	NET WEIGTH (KG)	134	198	198
	LOCK	Standard	Standard	Standard
	LIGHT	Led	Led	Led
	REFRIGERATION	Ventilated	Ventilated	Ventilated
	STANDARD COLORS	inox	inox	inox
	EXTRA COLORS	-	-	-

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru