

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

Технические характеристики на горизонтальные витрины охлаждающие, шкафы охлаждающие SHOPPING, SUPER, DELICIOUS компании **TECFRIGO**



COLD
ENGINEERING
TECFRIGO

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		SUPER 750 C	SUPER 750 C DE	SUPER 750 DE
TEMPERATURE (°C)		+2/+4	+2/+4	+2/+4
WIDTH		756	756	756
LENGTH		939	939	939
HEIGHT		530	530	530
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		238	238	238
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGTH (KG)		60	63	63
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		grigio focus	grigio focus	grigio focus
EXTRA COLORS		-	-	-

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		SUPER 750 SS	SUPER 750 SS DE	SUPER 750
TEMPERATURE (°C)		+2/+4	+2/+4	+2/+4
WIDTH		756	756	756
LENGTH		939	939	939
HEIGHT		296	296	530
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		238	238	238
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGH (KG)		52.5	55.5	60
LOCK		-	-	-
LIGHT		No	No	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		grigio focus	grigio focus	grigio focus
EXTRA COLORS		-	-	-

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		SUPER 750 SS	SUPER 750 SS DE	SUPER 750
TEMPERATURE (°C)		+2/+4	+2/+4	+2/+4
WIDTH		756	756	756
LENGTH		939	939	939
HEIGHT		296	296	530
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		238	238	238
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGH (KG)		52.5	55.5	60
LOCK		-	-	-
LIGHT		No	No	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		grigio focus	grigio focus	grigio focus
EXTRA COLORS		-	-	-

PRODUCT INFO	X REMOVE		
			
	SUPER 800 EURONORM C	SUPER 1000 SS DE	SUPER 1000
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	906	1006	1006
LENGTH	1018	939	939
HEIGHT	702	296	530
CAPACITY (L)	-	-	-
SHELVES	n°1 mm. 850x139 + 2 trays 600x400 mm	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	74	67	74
LOCK	-	-	-
LIGHT	Led	No	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		SUPER 1000 C	SUPER 1000 C DE	SUPER 1000 DE
TEMPERATURE (°C)		+2/+4	+2/+4	+2/+4
WIDTH		1006	1006	1006
LENGTH		939	939	939
HEIGHT		530	530	530
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		238	238	238
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGTH (KG)		74	77	77
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		grigio focus	grigio focus	grigio focus
EXTRA COLORS		-	-	-

PRODUCT INFO	X REMOVE		
			
	SUPER 1000 SS DE	SUPER 1250 C DE	SUPER 1250 DE
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1006	1256	1256
LENGTH	939	939	939
HEIGHT	296	530	530
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	67	87	87
LOCK	-	-	-
LIGHT	No	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE		
			
	SUPER 1250 SS	SUPER 1250 SS DE	SUPER 1250
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1256	1256	1256
LENGTH	939	939	939
HEIGHT	296	296	530
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGH (KG)	71.5	74.5	84
LOCK	-	-	-
LIGHT	No	No	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO		X REMOVE 	X REMOVE 	X REMOVE 
		SUPER 1250 C	SUPER 1200 EURONORM C	SUPER 1500
	TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
	WIDTH	1256	1313	1506
	LENGTH	939	1018	939
	HEIGHT	530	702	530
	CAPACITY (L)	-	-	-
	SHELVES	-	n°1 mm. 1260x139 + 3 trays 600x400 mm	-
	STANDARD BASINS	-	-	-
	BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
	ABSORPTION (W)	238	238	326
	UMIDITY (%)	-	-	-
	TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
	EVAPORATION	AUT	AUT	AUT
	VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
	REFRIGERANT	R290	R290	R290
	NET WEIGTH (KG)	84	84	97
	LOCK	-	-	-
	LIGHT	Led	Led	Led
	REFRIGERATION	Static	Static	Static
	STANDARD COLORS	grigio focus	grigio focus	grigio focus

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	SUPER 1500 C	SUPER 1500 C DE	SUPER 1500 DE
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1506	1506	1506
LENGTH	939	939	939
HEIGHT	530	530	530
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	326	326	326
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	97	97	97
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		SUPER 1500 SS	SUPER 1500 SS DE	SUPER 2000 SS
TEMPERATURE (°C)		+2/+4	+2/+4	+2/+4
WIDTH		1506	1506	1972
LENGTH		939	939	939
HEIGHT		296	296	296
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		326	326	326
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGTH (KG)		82	82	98
LOCK		-	-	-
LIGHT		No	No	No
REFRIGERATION		Static	Static	Static
STANDARD COLORS		grigio focus	grigio focus	grigio focus
EXTRA COLORS		-	-	-

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		SUPER 2000 SS DE	SUPER 2000	SUPER 2000 C
TEMPERATURE (°C)		+2/+4	+2/+4	+2/+4
WIDTH		1972	1972	1972
LENGTH		939	939	939
HEIGHT		296	530	530
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		326	326	326
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGTH (KG)		102	118	118
LOCK		-	-	-
LIGHT		No	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		grigio focus	grigio focus	grigio focus
EXTRA COLORS		-	-	-

PRODUCT INFO		X REMOVE	X REMOVE
			
		SUPER 2000 C DE	SUPER 2000 DE
TEMPERATURE (°C)		+2/+4	+2/+4
WIDTH		1972	1972
LENGTH		939	939
HEIGHT		530	530
CAPACITY (L)		-	-
SHELVES		-	-
STANDARD BASINS		-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-
ABSORPTION (W)		326	326
UMIDITY (%)		-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290
NET WEIGTH (KG)		122	122
LOCK		-	-
LIGHT		Led	Led
REFRIGERATION		Static	Static
STANDARD COLORS		grigio focus	grigio focus
EXTRA COLORS		-	-

PRODUCT INFO	X REMOVE		
			
	DELICIOUS 750	DELICIOUS 750 C	DELICIOUS 750 C DE
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	756	756	756
LENGTH	790	790	790
HEIGHT	810	810	810
CAPACITY (L)	-	-	-
SHELVES	-	-	N°1 mm. 700x139
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	59	59	62
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE		
			
	DELICIOUS 750 DE	DELICIOUS 750 SS	DELICIOUS 750 SS DE
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	756	756	756
LENGTH	790	790	790
HEIGHT	810	575	575
CAPACITY (L)	-	-	-
SHELVES	N°1 mm. 700x139	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	62	51.5	54.5
LOCK	-	-	-
LIGHT	Led	No	No
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-



COLD
ENGINEERING
TECFRIGO

PRODUCT INFO	X REMOVE		
			
	DELICIOUS 800 EURONORM C	DELICIOUS 1000	DELICIOUS 1000 C
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	906	1006	1006
LENGTH	866	790	790
HEIGHT	962	810	810
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	73	73	73
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE		
			
	DELICIOUS 1000 C DE	DELICIOUS 1000 DE	DELICIOUS 1000 SS
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1006	1006	1006
LENGTH	790	790	790
HEIGHT	810	810	575
CAPACITY (L)	-	-	-
SHELVES	N°1 mm. 950x139	N°1 mm. 950x139	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	76	76	63
LOCK	-	-	-
LIGHT	Led	Led	No
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	DELICIOUS 1000 C	DELICIOUS 1250	DELICIOUS 1250 C
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1006	1256	1256
LENGTH	790	790	790
HEIGHT	810	810	810
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	73	83	83
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE		
			
	DELICIOUS 1250 C DE	DELICIOUS 1250 DE	DELICIOUS 1250 SS
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1256	1256	1256
LENGTH	790	790	790
HEIGHT	810	810	575
CAPACITY (L)	-	-	-
SHELVES	N°1 mm. 1200x139	N°1 mm. 1200x139	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	238
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	86	86	70.5
LOCK	-	-	-
LIGHT	Led	Led	No
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE		
			
	DELICIOUS 1250 SS DE	DELICIOUS 1200 EURONORM C	DELICIOUS 1500
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1256	1313	1506
LENGTH	790	866	790
HEIGHT	575	962	810
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	238	238	326
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	73.5	83	96
LOCK	-	-	-
LIGHT	No	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-




PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	DELICIOUS 1500 C	DELICIOUS 1500 C DE	DELICIOUS 1500 DE
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1506	1506	1506
LENGTH	790	790	790
HEIGHT	810	810	810
CAPACITY (L)	-	-	-
SHELVES	-	N°1 mm. 1450x139	N°1 mm. 1450x139
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	326	326	326
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	96	99	99
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	DELICIOUS 1500 SS	DELICIOUS 1500 SS DE	DELICIOUS 2000
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1506	1506	1972
LENGTH	790	790	790
HEIGHT	575	575	810
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	326	326	326
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	81	84	116
LOCK	-	-	-
LIGHT	No	No	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-


PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	DELICIOUS 1500 SS	DELICIOUS 1500 SS DE	DELICIOUS 2000
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1506	1506	1972
LENGTH	790	790	790
HEIGHT	575	575	810
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	326	326	326
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	81	84	116
LOCK	-	-	-
LIGHT	No	No	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	DELICIOUS 2000 C	DELICIOUS 2000 C DE	DELICIOUS 2000 DE
TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
WIDTH	1972	1972	1972
LENGTH	790	790	790
HEIGHT	810	810	810
CAPACITY (L)	-	-	-
SHELVES	-	N°1 mm. 1916x139	N°1 mm. 1916x139
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	326	326	326
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	116	119	119
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	grigio focus	grigio focus	grigio focus
EXTRA COLORS	-	-	-


PRODUCT INFO		X REMOVE	X REMOVE
			
		DELICIOUS 2000 SS	DELICIOUS 2000 SS DE
TEMPERATURE (°C)		+2/+4	+2/+4
WIDTH		1972	1972
LENGTH		790	790
HEIGHT		575	575
CAPACITY (L)		-	-
SHELVES		-	-
STANDARD BASINS		-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-
ABSORPTION (W)		326	326
UMIDITY (%)		-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290
NET WEIGTH (KG)		96	99
LOCK		-	-
LIGHT		No	No
REFRIGERATION		Static	Static
STANDARD COLORS		grigio focus	grigio focus
EXTRA COLORS		-	-

PRODUCT INFO		X REMOVE 	X REMOVE 	X REMOVE 
		SHOPPING 1100 COLD GN VD	SHOPPING 1100 COLD VD	SHOPPING 1400 COLD GN VD
	TEMPERATURE (°C)	-1/+6	-1/+6	-1/+6
	WIDTH	1072	1072	1394
	LENGTH	960	960	960
HEIGHT	615	615	615	615
CAPACITY (L)	-	-	-	-
SHELVES	-	-	-	-
STANDARD BASINS	-	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-	-
ABSORPTION (W)	270	270	270	270
UMIDITY (%)	-	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	MAN	MAN	MAN	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290	R290
NET WEIGTH (KG)	102	102	125	125
LOCK	-	-	-	-
LIGHT	Led	Led	Led	Led
REFRIGERATION	Static	Static	Static	Static
STANDARD COLORS	inox	inox	inox	inox
EXTRA COLORS	-	-	-	-

PRODUCT INFO	X REMOVE		
			
	SHOPPING 1400 COLD VD	SHOPPING 1400 DRY GN VD	SHOPPING 2000 COLD GN
TEMPERATURE (°C)	-1/+6	+30/+70	-1/+6
WIDTH	1394	1394	2038
LENGTH	960	960	960
HEIGHT	615	615	615
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	270	3450	440
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	-	Automatic defrosting by thermostatic pause
EVAPORATION	MAN	-	MAN
VOLTAGE (V)	230v/1/50Hz	400v/3/50Hz	230v/1/50Hz
REFRIGERANT	R290	-	R290
NET WEIGTH (KG)	125	125	165
LOCK	-	-	-
LIGHT	Led	Neon	Led
REFRIGERATION	Static	-	Static
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE		
			
	SHOPPING 2000 COLD GN VD	SHOPPING 2000 COLD VD	SHOPPING 2000 DRY GN
TEMPERATURE (°C)	-1/+6	-1/+6	+30/+70
WIDTH	2038	2038	2038
LENGTH	960	960	960
HEIGHT	615	615	615
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	440	440	3550
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	-
EVAPORATION	MAN	MAN	-
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	400v/3/50Hz
REFRIGERANT	R290	R290	-
NET WEIGTH (KG)	165	165	135
LOCK	-	-	-
LIGHT	Led	Led	Neon
REFRIGERATION	Static	Static	-
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE		
			
	SHOPPING 2000 DRY GN VD	SHOPPING 2000 COLD	SHOPPING 2700 COLD
TEMPERATURE (°C)	+30/+70	-1/+6	-1/+6
WIDTH	2038	2038	2682
LENGTH	960	960	960
HEIGHT	615	615	615
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	3550	440	530
UMIDITY (%)	-	-	-
TYPE OF DEFROST	-	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	-	MAN	MAN
VOLTAGE (V)	400v/3/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	-	R290	R290
NET WEIGTH (KG)	135	165	245
LOCK	-	-	-
LIGHT	Neon	Led	Led
REFRIGERATION	-	Static	Static
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

PRODUCT INFO	X REMOVE		
			
	SHOPPING 2700 COLD GN	SHOPPING 2700 COLD GN VD	SHOPPING 2700 COLD VD
TEMPERATURE (°C)	-1/+6	-1/+6	-1/+6
WIDTH	2682	2682	2682
LENGTH	960	960	960
HEIGHT	615	615	615
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	530	530	530
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	MAN	MAN	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	245	245	245
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	inox	inox	inox
EXTRA COLORS	-	-	-

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru