

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | tog@nt-rt.ru

Технические характеристики на вертикальные витрины охлаждающие для детской еды и напитков, шкафы охлаждающие для колбасных изделий SPACE, MAGMA, BABY, CLIPPER компании **TECFRIGO**

PRODUCT INFO		X REMOVE  SPACE 91.1	X REMOVE  SPACE 91.1 INOX	X REMOVE  SPACE 131.1
	TEMPERATURE (°C)	+2/+4	+2/+4	+2/+4
	WIDTH	866	866	1310
	LENGTH	665	665	665
	HEIGHT	1920	1920	1920
CAPACITY (L)	-	-	-	
SHELVES	-	-	-	
STANDARD BASINS	-	-	-	
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-	
ABSORPTION (W)	1750	1750	1910	
UMIDITY (%)	-	-	-	
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	
EVAPORATION	AUT	AUT	AUT	
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz	
REFRIGERANT	R452A	R452A	R452A	
NET WEIGTH (KG)	160	160	210	
LOCK	-	-	-	
LIGHT	Led	Led	Led	
REFRIGERATION	Ventilated	Ventilated	Ventilated	
STANDARD COLORS	bianco	inox	bianco	
EXTRA COLORS	ral-1037, ral-2002, ral-6018, ral-9005, ral-9006	-	ral-1037, ral-2002, ral-6018, ral-9005, ral-9006	

PRODUCT INFO		X REMOVE  SPACE 201.1
TEMPERATURE (°C)		+2/+4
WIDTH		1935
LENGTH		665
HEIGHT		1920
CAPACITY (L)		-
SHELVES		-
STANDARD BASINS		2,4 m2
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-
ABSORPTION (W)		-
UMIDITY (%)		-
TYPE OF DEFROST	AUTOMATIC BY THERMOSTATIC PAUSE	
EVAPORATION		AUT
VOLTAGE (V)		230
REFRIGERANT		R290
NET WEIGTH (KG)		300
LOCK		-
LIGHT		LED
REFRIGERATION		VENTILATED
STANDARD COLORS		bianco
EXTRA COLORS		-

PRODUCT INFO		X REMOVE  SPACE 131.1 INOX	X REMOVE  SPACE 151.1	X REMOVE  SPACE 151.1 INOX
TEMPERATURE (°C)		+2/+4	+2/+4	+2/+4
WIDTH		1310	1510	1510
LENGTH		665	665	665
HEIGHT		1920	1920	1920
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		1910	1910	1910
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R452A	R452A	R452A
NET WEIGHT (KG)		210	235	235
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Ventilated	Ventilated	Ventilated
STANDARD COLORS		inox	bianco	inox
EXTRA COLORS		-	ral-1037, ral-2002, ral-6018, ral-9005, ral-9006	-

PRODUCT INFO		X REMOVE  SPACE 201.1
TEMPERATURE (°C)		+2/+4
WIDTH		1935
LENGTH		665
HEIGHT		1920
CAPACITY (L)		-
SHELVES		-
STANDARD BASINS		2,4 m2
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-
ABSORPTION (W)		-
UMIDITY (%)		-
TYPE OF DEFROST	AUTOMATIC BY THERMOSTATIC PAUSE	
EVAPORATION		AUT
VOLTAGE (V)		230
REFRIGERANT		R290
NET WEIGTH (KG)		300
LOCK		-
LIGHT		LED
REFRIGERATION		VENTILATED
STANDARD COLORS		bianco
EXTRA COLORS		-

PRODUCT INFO		X REMOVE  SPACE 131.1 INOX	X REMOVE  SPACE 151.1	X REMOVE  SPACE 151.1 INOX
TEMPERATURE (°C)		+2/+4	+2/+4	+2/+4
WIDTH		1310	1510	1510
LENGTH		665	665	665
HEIGHT		1920	1920	1920
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		1910	1910	1910
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R452A	R452A	R452A
NET WEIGTH (KG)		210	235	235
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Ventilated	Ventilated	Ventilated
STANDARD COLORS		inox	bianco	inox
EXTRA COLORS		-	ral-1037, ral-2002, ral-6018, ral-9005, ral-9006	-

PRODUCT INFO		X REMOVE  MAGMA 900	X REMOVE  MAGMA 1300
TEMPERATURE (°C)		+30/+70	+30/+70
WIDTH		980	1410
LENGTH		880	790
HEIGHT		2250	2250
CAPACITY (L)		-	-
SHELVES		5 glass shelves 803x465	5 glass shelves 1203x465
STANDARD BASINS		-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-
ABSORPTION (W)		2620	-
UMIDITY (%)		N.A.	N.A.
TYPE OF DEFROST		-	-
EVAPORATION		-	-
VOLTAGE (V)		230v/1/50Hz	400/3+N
REFRIGERANT		-	-
NET WEIGTH (KG)		159	159
LOCK		n.a.	n.a.
LIGHT		Led	Led
REFRIGERATION		-	-
STANDARD COLORS		inox	inox
EXTRA COLORS		-	-



COLD
ENGINEERING
TECFRIGO

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		CLIPPER 102 SA SG	CLIPPER 102 SG	CLIPPER 103 SG
TEMPERATURE (°C)		+4/+8	+4/+8	+4/+8
WIDTH		1000	1000	1000
LENGTH		500	500	500
HEIGHT		800	800	1350
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		380	380	721
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		MAN	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R452A	R452A	R452A
NET WEIGTH (KG)		68	70	110
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		inox	inox	inox
EXTRA COLORS		-	-	-

PRODUCT INFO		X REMOVE
		CLIPPER 202 SG
TEMPERATURE (°C)		+4/+8
WIDTH		2000
LENGTH		500
HEIGHT		800
CAPACITY (L)		-
SHELVES		-
STANDARD BASINS		-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-
ABSORPTION (W)		934
UMIDITY (%)		-
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	
EVAPORATION		MAN
VOLTAGE (V)		230v/1/50Hz
REFRIGERANT		R452A
NET WEIGTH (KG)		140
LOCK		-
LIGHT		Led
REFRIGERATION		Static
STANDARD COLORS		inox
EXTRA COLORS		-

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		CLIPPER 152 SG	CLIPPER 153 SG	CLIPPER 152 SA SG
TEMPERATURE (°C)		+4/+8	+4/+8	+4/+8
WIDTH		1500	1500	1500
LENGTH		500	500	500
HEIGHT		800	1350	800
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		721	934	721
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		MAN	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R452A	R452A	R452A
NET WEIGTH (KG)		105	165	101
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		inox	inox	inox
EXTRA COLORS		-	-	-

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		BABY 60	BABY 90	BABY 120
TEMPERATURE (°C)		+4/+8	+4/+8	+4/+8
WIDTH		665	965	1265
LENGTH		590	590	590
HEIGHT		1986	1986	1986
CAPACITY (L)		-	-	-
SHELVES		N. 4 movable and tiltable shelves, with pricetag	N. 4 movable and tiltable shelves, with pricetag	N. 4 movable and tiltable shelves, with pricetag
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		898	898	2200
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R452A	R452A	R452A
NET WEIGTH (KG)		115	185	255
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Ventilated	Ventilated	Ventilated
STANDARD COLORS		bianco	bianco	bianco

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru