

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

Технические характеристики на кондитерские холодильные витрины MARILYN, MELANIE компании **TECFRIGO**

MARILYN 651 Q CIOCCO



Temperature (°C)	+14/+16
Dimensions LxPxH (mm)	900x710x1910
Refrigeration	Ventilated
Capacity (L)	650
Shelves	n° 5 mm. 745x425
Absorption (W)	450
Umidity (%)	40/44
Type of defrost	Manual defrosting
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R600a
Net weigth (Kg)	228
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 651 Q CIOCCO

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: chocolate, inox, R290, structural insulating glazing, vertical



MARILYN 651 Q

Temperature (°C)	+4/+10
Dimensions LxPxH (mm)	900x710x1910
Refrigeration	Ventilated
Capacity (L)	650
Shelves	n° 5 mm. 745x425
Absorption (W)	400
Umidity (%)	75
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	228
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 651 Q

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical



MARILYN 651 GBT

Temperature (°C)	-10/-19
Dimensions LxPxH (mm)	900x710x1910
Refrigeration	Static
Capacity (L)	650
Shelves	n° 5 mm. 745x425 n° 1 mm. 745x425
Absorption (W)	420
Umidity (%)	40
Type of defrost	Manual defrosting
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	230
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 651 GBT

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical



MARILYN 651 BTQ BIS

Temperature (°C)	+5/-20
Dimensions LxPxH (mm)	900x710x1910
Refrigeration	Ventilated
Capacity (L)	650
Shelves	n° 5 mm. 745x425
Absorption (W)	480
Umidity (%)	40
Type of defrost	Automatic defrosting by hot gas
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	236
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 651 BTQ BIS

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical



MARILYN 651 BTQ

Temperature (°C)	-15/-21
Dimensions LxPxH (mm)	900x710x1910
Refrigeration	Ventilated
Capacity (L)	650
Shelves	n° 5 mm. 745x425
Absorption (W)	400
Umidity (%)	40
Type of defrost	Automatic defrosting by hot gas
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	236
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 651 BTQ

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical



MARILYN 451 Q CIOCCO

Temperature (°C)	+14/+16
Dimensions LxPxH (mm)	700x710x1910
Refrigeration	Ventilated
Capacity (L)	450
Shelves	n° 5 mm. 545x425
Absorption (W)	450
Umidity (%)	40/44
Type of defrost	Manual defrosting
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R600a
Net weight (Kg)	196
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	

SKU: MARILYN 451 Q CIOCCO

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: chocolate, inox, R290, structural insulating glazing, vertical



MARILYN 451 Q

Temperature (°C)	+4/+10
Dimensions LxPxH (mm)	700x710x1910
Refrigeration	Ventilated
Capacity (L)	450
Shelves	n° 5 mm. 545x425
Absorption (W)	400
Umidity (%)	75
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	196
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 451 Q

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical



MARILYN 451 GBT

Temperature (°C)	-10/-19
Dimensions LxPxH (mm)	700x710x1910
Refrigeration	Static
Capacity (L)	450
Shelves	n° 5+1 mm. 545x425
Absorption (W)	420
Umidity (%)	40
Type of defrost	Manual defrosting
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	204
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 451 GBT

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical



MARILYN 451 BTQ BIS

Temperature (°C)	+5/-20
Dimensions LxPxH (mm)	700x710x1910
Refrigeration	Ventilated
Capacity (L)	450
Shelves	n° 5 mm. 545x425
Absorption (W)	430
Umidity (%)	40
Type of defrost	Automatic defrosting by hot gas
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	207
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 451 BTQ BIS

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical



MARILYN 451 BTQ

Temperature (°C)	-15/-21
Dimensions LxPxH (mm)	700x710x1910
Refrigeration	Ventilated
Capacity (L)	450
Shelves	n° 5 mm. 545x425
Absorption (W)	400
Umidity (%)	40
Type of defrost	Automatic defrosting by hot gas
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	207
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 451 BTQ

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical



MARILYN 276 Q CIOCCO

Temperature (°C)	+14/+16
Dimensions LxPxH (mm)	700x710x1510
Refrigeration	Ventilated
Capacity (L)	275
Shelves	n° 3 mm. 545x425
Absorption (W)	450
Umidity (%)	40/44
Type of defrost	Manual defrosting
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R600a
Net weight (Kg)	162
Lock	Standard
Light	Led
Standard colors	Black,
Extra colors	

SKU: MARILYN 276 Q CIOCCO

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: chocolate, inox, R290, structural insulating glazing, vertical



MARILYN 276 Q

Temperature (°C)	+4/+10
Dimensions LxPxH (mm)	700x710x1510
Refrigeration	Ventilated
Capacity (L)	275
Shelves	n° 3 mm. 545x425
Absorption (W)	400
Umidity (%)	75
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	AUT
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	162
Lock	Standard
Light	Led
Standard colors	White, Black,
Extra colors	Grey focus,

SKU: MARILYN 276 Q

CATEGORIES: Pastry – Ice-cream, Marilyn, Tecfrigo

TAGS: inox, R290, structural insulating glazing, vertical

Melanie 26 R

95

Innovazione, praticità e design

Melanie è la nuova serie di vetrine refrigerate per pasticceria e gelateria, dotata di un'esposizione unica ed innovativa. Grazie alla sua struttura interna composta da 30 ripiani rotanti a spicchi, realizzati in plexiglass ad alta trasparenza con raggio di 26 cm, permette una visione panoramica dei prodotti esposti. Melanie è l'unica nel suo genere ad essere totalmente realizzata in alluminio lucidato a specchio. L'attenzione ai materiali di primissima qualità e alle intelligen-


ti soluzioni tecniche, hanno portato il nostro reparto R&D ad adottare anche su questi modelli una centralina di controllo Touch screen. Inoltre il risparmio energetico è garantito dalle due file di led, i quali oltre a conferire alle Melanie un look attraente, assicurano allo stesso tempo una drastica riduzione dei consumi.

Innovation, practicality and design

Melanie is the new refrigerated upright display, ideal for ice-cream and pastry; it boasts a unique and innovative exhibition ability.

Thanks to its internal structure with 30 wedge rotating shelves, made in high-transparence plexiglass with a 26 cm radius, Melanie is able to give a panoramic view of the displayed products.

Melanie is the only one created in mirror polished aluminium. The attention to the high-quality materials and to the intelligent technical solutions have lead our R&D department to use the touch-screen control unit also on these models. Moreover, the two LEDs rows guarantee the energy conservation and at the same time ensure a drastic reduction in consumption, always giving an attractive look to Melanie.



		°C	mm. (LxPxH)	Lt.	DI SERIE Ø TORTE - MAX 260 MM. Ø CAKES - MAX 260 MM.	Watt	% U.R.	H ₂ O			Kg.		
NEW	Melanie 26 R	+4/+10	795x770x2015	550	n° 30	-	75	AUT	230v/1/50Hz	R404a	205	Optional	LED di serie
NEW	Melanie 26 RBT	-15/-21	795x770x2015	550	n° 30	-	40	AUT	230v/1/50Hz	R404a	222	Optional	LED di serie
NEW	Melanie 26 RBT-BIS	+5/-18	795x770x2015	550	n° 30	-	70/40	AUT	230v/1/50Hz	R404a	222	Optional	LED di serie
NEW	Melanie 26.2 R	+4/+10	1542x770x2015	1150	n° 30+30	-	75	AUT	230v/1/50Hz	R404a	395	Optional	LED di serie
NEW	Melanie 26.2 RBT	-15/-21	1542x770x2015	1150	n° 30+30	-	40	AUT	230v/1/50Hz	R404a	410	Optional	LED di serie
NEW	Melanie 26.2 RBT-BIS	+5/-18	1542x770x2015	1150	n° 30+30	-	70/40	AUT	230v/1/50Hz	R404a	410	Optional	LED di serie

Dati di collaudo • Test details • Détails d'essai • Prüfungsergebnisse • Datos de ensayo • MAX = (30°C - % U.R. 55)

MELANIE 26 R

30 RIPIANI ROTANTI A SPICCHI.
UN VORTICE DI EMOZIONI



Gioiellato	Notella
Nocciolo	Mandorla
Vaniglia	Coquina
Caffè	Amaretto
Limone	Fragola
Kiwi	Melone
Banana	Papaya



MELANIE 26 R
30 WEDGE ROTATING SHELVES
A WHIRLWIND OF EMOTIONS



Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru