

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

Технические характеристики на винные шкафы, витрины для напитков вертикальные, диагональные MARILYN, VINITY, ENOPRESTIGE, MAXICANTINETTA, CANTINETTA, CAVE, WINE, KHALIFA 650 WINE компании **TECFRIGO**

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

Технические характеристики на винные шкафы и витрины холодильные KHALIFA 650 WINE компании **TECFRIGO**



Technological innovation and elegance

The **Wine version** is the latest born from the innovative Khalifa range.

It has been designed to complete the already countless employment sectors of its thermodynamics. Khalifa Wine has been developed by combining cutting-edge technological choices with an attractive and revolutionary design.

Khalifa Wine boasts a modern appearance that will change the need to conserve in pure expositive pleasure, thanks to its structural glass frame.




The plexiglass structure, in the centre of the display, **will allow you to position the bottles in two different ways:**

- **By using the holes** made in the central structure, which allow to use the support on the neck of the bottles; this will give a 15° inclination to the bottles, ideal to storage **Sparkling Wine or Champagne**.
- **By using the stainless steel supports**, on which you can place the bottles with the wine cork pointing upwards. This slightly inclined position is perfect to storage **Red Wine, Rosé Wine or White Wine**.

The inclination allows the eventual remnants to deposit down and at the same time it leaves the wine in contact with the cork, keeping it wet and elastic, in order to avoid the entrance of air in the bottle; if that happens, the air would affect the preservation of your wine.


The maximum ease of use, **the LEDs light system and the standard lock** complete this display that boasts a **total capacity of 114 bottles (750 ml)**.

KHALIFA 650 WINE



 TOUCH SCREEN

Porta bottiglie in plexiglass / Plexiglass bottle rack



															
	°C	mm. (LxPxH)	Lt.	DI SERIE	Watt	% U.R.	H ₂ O					0,75 lt.	Kg.		LED di serie
NEW Khalifa 650 Wine	+4/+18	910x700x1910	650	n° 57 supporti acciaio	510	75	AUT	230v/1/50Hz		R404a		n° 114 Ø 75 mm.	235	Di serie	LED di serie

PRODUCT INFO		X REMOVE	X REMOVE
			
		SNELLE WINE 251 SG	SNELLE WINE 201 SG
TEMPERATURE (°C)		+4/+10 ~ +5/+16	+4/+10 ~ +5/+16
WIDTH		800	960
LENGTH		400	350
HEIGHT		1075	800
CAPACITY (L)		250	200
SHELVES		n° 2 mm. 676x255	n° 1 mm. 836x205
STANDARD BASINS		-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-
ABSORPTION (W)		60	60
UMIDITY (%)		-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R134A	R134A
NET WEIGTH (KG)		61	51
LOCK		-	-
LIGHT		Si	Si
REFRIGERATION		Static fan assisted	Static fan assisted
STANDARD COLORS		argento	argento
EXTRA COLORS		-	-


PRODUCT INFO		X REMOVE
		
		CAVE 370 2TV
TEMPERATURE (°C)		+5/+11 ~ +14/+18
WIDTH		723
LENGTH		550
HEIGHT		1598
CAPACITY (L)		370
SHELVES		n. 3 mm. 360x670
STANDARD BASINS		-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-
ABSORPTION (W)		600
UMIDITY (%)		-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause
EVAPORATION		AUT
VOLTAGE (V)		230v/1/50Hz
REFRIGERANT		R600a
NET WEIGHT (KG)		101
LOCK		Optional
LIGHT		Led
REFRIGERATION		Ventilated
STANDARD COLORS		nero
EXTRA COLORS		ral

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		CAVE 500 1TV	CAVE 500 2TV	CAVE 370 1TV
TEMPERATURE (°C)		+5/+18	+5/+11 ~ +14/+18	+5/+18
WIDTH		723	723	723
LENGTH		550	550	550
HEIGHT		1955	1955	1598
CAPACITY (L)		500	500	370
SHELVES		n. 4 mm. 360x670	n. 4 mm. 360x670	n. 3 mm. 360x670
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		600	600	600
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R600a	R600a	R600a
NET WEIGTH (KG)		126	126	101
LOCK		Optional	Optional	Optional
LIGHT		Led	Led	Led
REFRIGERATION		Ventilated	Ventilated	Ventilated
STANDARD COLORS		nero	nero	nero
EXTRA COLORS		ral	ral	ral

PRODUCT INFO		X REMOVE	X REMOVE
			
		CANTINETTA GLX	MAXICANTINETTA GLX
TEMPERATURE (°C)		+6/+16	+6/+16
WIDTH		695	1325
LENGTH		650	650
HEIGHT		1880	1880
CAPACITY (L)		355	355+355
SHELVES		n. 5 mm. 512x395	n° 10 mm. 512x395
STANDARD BASINS		-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-
ABSORPTION (W)		125	250
UMIDITY (%)		60	60
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R600a	R600a
NET WEIGTH (KG)		94	185
LOCK		Standard	Standard
LIGHT		Led	Led
REFRIGERATION		Static	Static
STANDARD COLORS		legno grezzo, legno noce chiaro, legno noce scuro	legno grezzo, legno noce chiaro, legno noce scuro
EXTRA COLORS		legno grezzo trattato, ral	legno grezzo trattato, ral

PRODUCT INFO		X REMOVE 	X REMOVE 	X REMOVE 
		ENOPRESTIGE 300 1TV	ENOPRESTIGE 600 2TV	ENOPRESTIGE 600 5TV
	TEMPERATURE (°C)	+5/+16	Vano +5/+16 ~ Vano +16/+18	Vano grande +5/+7/+10/+18 ~ Vano piccolo +16/+18
	WIDTH	613	1201	1201
	LENGTH	536	536	536
	HEIGHT	1922	1922	1922
	CAPACITY (L)	300	600	600
	SHELVES	4	n° 4+4	n° 4+4
	STANDARD BASINS	-	-	-
	BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
	ABSORPTION (W)	650	780	560
	UMIDITY (%)	65	60	60
	TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
	EVAPORATION	AUT	AUT	AUT
	VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
	REFRIGERANT	R600a	R600a	R600a
	NET WEIGTH (KG)	114	201	201
	LOCK	Optional	Optional	Optional
	LIGHT	Led	Led	Led
	REFRIGERATION	Ventilated	Ventilated	Static
	STANDARD COLORS	legno grezzo, legno noce chiaro, legno noce scuro	legno grezzo, legno noce chiaro, legno noce scuro	legno grezzo, legno noce chiaro, legno noce scuro

PRODUCT INFO		X REMOVE	X REMOVE
			
		VINITY 2 O	VINITY 3 O
TEMPERATURE (°C)		+5/+20	+5/+20
WIDTH		1455	1870
LENGTH		875	610
HEIGHT		1150	843
CAPACITY (L)		100	150
SHELVES		36 bottles Ø 75 mm	n° 9 mm. 444x337
STANDARD BASINS		-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-
ABSORPTION (W)		125	210
UMIDITY (%)		-	-
TYPE OF DEFROST		No frost	No frost
EVAPORATION		AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R600a	R600a
NET WEIGTH (KG)		83	-
LOCK		-	-
LIGHT		Led	Led
REFRIGERATION		Static	Static
STANDARD COLORS		nero	nero
EXTRA COLORS		-	-

PRODUCT INFO		X REMOVE 	X REMOVE 	X REMOVE 
		VINITY 3 V	VINITY 2 V	VINITY 4
TEMPERATURE (°C)		+5/+20	+5/+20	+5/+20
WIDTH		650	740	1275
LENGTH		610	740	600
HEIGHT		1880	1600	1355
CAPACITY (L)		150	100	200
SHELVES		n° 9 mm. 444x337	36 bottles Ø 75 mm	n° 12 mm. 444x337
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		210	125	274
UMIDITY (%)		-	-	-
TYPE OF DEFROST		No frost	No frost	No frost
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R600a	R600a	R600a
NET WEIGTH (KG)		-	83	166 kg
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		nero	nero	nero
EXTRA COLORS		-	-	-

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		MARILYN 451 WINE - LINEAR	MARILYN 451 WINE - DIAGONAL	MARILYN 451 WINE - VERTICAL
TEMPERATURE (°C)		+4/+18	+4/+18	+4/+18
WIDTH		770	770	770
LENGTH		770	770	770
HEIGHT		2080	2080	2080
CAPACITY (L)		450	450	450
SHELVES		42 bottles Ø 75 mm	39 bottles Ø 75 mm	96 bottles Ø 75 mm
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		400	400	400
UMIDITY (%)		75	75	75
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGTH (KG)		196	196	196
LOCK		standard	standard	standard
LIGHT		Led	Led	Led
REFRIGERATION		Ventilated	Ventilated	Ventilated
STANDARD COLORS		bianco, nero	bianco, nero	bianco, nero
EXTRA COLORS		grigio chiaro	grigio chiaro	grigio chiaro

PRODUCT INFO	X REMOVE		
			
	MARILYN 651 WINE - DIAGONAL	MARILYN 651 WINE - VERTICAL	MARILYN 651 WINE - EXPO
TEMPERATURE (°C)	+4/+18	+4/+18	+4/+18
WIDTH	980	980	980
LENGTH	870	870	870
HEIGHT	2180	2180	2180
CAPACITY (L)	650	650	650
SHELVES	57 bottles Ø 75 mm	126 bottles Ø 75 mm	60 bottles Ø 75 mm
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	-	-
ABSORPTION (W)	450	450	450
UMIDITY (%)	75	75	75
TYPE OF DEFROST	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION	AUT	AUT	AUT
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	228	228	228
LOCK	standard	standard	standard
LIGHT	Led	Led	Led
REFRIGERATION	Ventilated	Ventilated	Ventilated
STANDARD COLORS	bianco, nero	bianco, nero	bianco, nero
EXTRA COLORS	grigio chiaro	grigio chiaro	grigio chiaro

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		MARILYN 451 WINE - EXPO	MARILYN 651 WINE - VISION	MARILYN 651 WINE - LINEAR
TEMPERATURE (°C)		+4/+18	+4/+18	+4/+18
WIDTH		770	900	980
LENGTH		770	710	870
HEIGHT		2080	1910	2180
CAPACITY (L)		450	650 - n° 114 bottiglie Ø 75 mm.	650
SHELVES		42 bottles Ø 75 mm	n° 57 steel supports	60 bottles Ø 75 mm
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	-	-
ABSORPTION (W)		400	400	450
UMIDITY (%)		75	75	75
TYPE OF DEFROST		Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause	Automatic defrosting by thermostatic pause
EVAPORATION		AUT	AUT	AUT
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGTH (KG)		196	240	228
LOCK		standard	Standard	standard
LIGHT		Led	Led	Led
REFRIGERATION		Ventilated	Ventilated	Ventilated
STANDARD COLORS		bianco, nero	bianco, nero	bianco, nero
EXTRA COLORS		grigio chiaro	grigio focus	grigio chiaro

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru