

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93


Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

Технические характеристики на витрины охлаждаемые для тапас, для закусок TAPAS, GRANTAPAS КОМПАНИИ **TECFRIGO**


PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 4 D GN BM	TAPAS 4 GN BM	TAPAS 4 PI
TEMPERATURE (°C)		+30/+60	+30/+60	+3/+5
WIDTH		820	820	1085
LENGTH		393	380	380
HEIGHT		310	255	255
CAPACITY (L)		-	-	-
SHELVES		-	-	Exhibition plane 705x325mm
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		n° 4 - GN 1/3 - h. 40	N° 4 GN 1/3 - h.40 mm.	-
ABSORPTION (W)		600	600	262
UMIDITY (%)		-	-	-
TYPE OF DEFROST		-	-	Manual defrosting
EVAPORATION		-	-	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		-	-	R290
NET WEIGHT (KG)		14	14	30
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		-	-	Static
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		colore oro,nero	colore oro,nero	colore oro,nero

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 4 PI SS	TAPAS 4 D GN	TAPAS 4 D GN 2
TEMPERATURE (°C)		+3/+5	+3/+5	+3/+5
WIDTH		1085	1085	1085
LENGTH		380	393	402
HEIGHT		255	310	380
CAPACITY (L)		-	-	-
SHELVES		Exhibition plane 705x325mm	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	N° 4 GN 1/3 - h.40 mm.	N° 4 GN 1/3 - h.40 mm.
ABSORPTION (W)		262	262	262
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Manual defrosting	Manual defrosting	Manual defrosting
EVAPORATION		MAN	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGTH (KG)		30	30	42
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		colore oro,nero	nero	nero

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 4 D PI	TAPAS 4 GN	TAPAS 4 GN 2
TEMPERATURE (°C)		+3/+5	+3/+5	+3/+5
WIDTH		1085	1085	1085
LENGTH		393	380	380
HEIGHT		310	255	380
CAPACITY (L)		-	-	-
SHELVES		Exhibition plane 705x325mm	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	N° 4 GN 1/3 - h.40 mm.	N° 4 GN 1/3 - h.40 mm.
ABSORPTION (W)		262	262	262
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Manual defrosting	Manual defrosting	Manual defrosting
EVAPORATION		MAN	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGHT (KG)		30	24	33
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		nero	colore oro,nero	colore oro,nero


PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 4 GN SS	TAPAS 6 D GN BM	TAPAS 6 GN BM
TEMPERATURE (°C)		+3/+5	+30/+60	+30/+60
WIDTH		1085	1172	1172
LENGTH		380	393	380
HEIGHT		255	310	255
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		N° 4 GN 1/3 - h.40 mm.	n° 6 - GN 1/3 - h. 40	N° 6 GN 1/3 - h.40 mm.
ABSORPTION (W)		262	1200	1200
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Manual defrosting	-	-
EVAPORATION		MAN	-	-
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	-	-
NET WEIGTH (KG)		30	19	19
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	-	-
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		colore oro,nero	colore oro,nero	colore oro,nero

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 6 D PI	TAPAS 6 GN	TAPAS 6 GN 2
TEMPERATURE (°C)		+3/+5	+3/+5	+3/+5
WIDTH		1437	1437	1437
LENGTH		393	380	380
HEIGHT		310	255	380
CAPACITY (L)		-	-	-
SHELVES		Exhibition plane 1060x325mm	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	N° 6 GN 1/3 - h.40 mm.	N° 6 GN 1/3 - h.40 mm.
ABSORPTION (W)		262	262	262
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Manual defrosting	Manual defrosting	Manual defrosting
EVAPORATION		MAN	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGHT (KG)		35	28	39
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		nero	colore oro,nero	colore oro,nero

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	TAPAS 6 GN SS	TAPAS 6 PI	TAPAS 6 PI SS
TEMPERATURE (°C)	+3/+5	+3/+5	+3/+5
WIDTH	1437	1437	1437
LENGTH	380	380	380
HEIGHT	255	255	255
CAPACITY (L)	-	-	-
SHELVES	-	Exhibition plane 1060x325mm	Exhibition plane 1060x325mm
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	N° 6 GN 1/3 - h.40 mm.	-	-
ABSORPTION (W)	262	262	262
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Manual defrosting	Manual defrosting	Manual defrosting
EVAPORATION	MAN	MAN	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	36	35	35
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	argento	argento	argento
EXTRA COLORS	colore oro,nero	colore oro,nero	colore oro,nero


PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 6 D GN	TAPAS 6 D GN 2	TAPAS 8 GN BM
TEMPERATURE (°C)		+3/+5	+3/+5	+30/+60
WIDTH		1437	1437	1524
LENGTH		393	402	380
HEIGHT		310	380	255
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		N° 6 GN 1/3 - h.40 mm.	N° 6 GN 1/3 - h.40 mm.	N° 8 GN 1/3 - h.40 mm.
ABSORPTION (W)		262	262	1200
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Manual defrosting	Manual defrosting	-
EVAPORATION		MAN	MAN	-
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	-
NET WEIGHT (KG)		36	49	25
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	-
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		nero	nero	colore oro,nero

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	TAPAS 8 D GN BM	TAPAS 8 D PI	TAPAS 8 GN
TEMPERATURE (°C)	+30/+60	+3/+5	+3/+5
WIDTH	1524	1790	1790
LENGTH	393	393	380
HEIGHT	310	310	255
CAPACITY (L)	-	-	-
SHELVES	-	Exhibition plane 1410x325mm	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	n° 8 - GN 1/3 - h. 40	-	N° 8 GN 1/3 - h.40 mm.
ABSORPTION (W)	1200	266	266
UMIDITY (%)	-	-	-
TYPE OF DEFROST	-	Manual defrosting	Manual defrosting
EVAPORATION	-	MAN	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	-	R290	R290
NET WEIGHT (KG)	25	44	35
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	-	Static	Static
STANDARD COLORS	argento	argento	argento
EXTRA COLORS	colore oro,nero	nero	colore oro,nero

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 8 GN 2	TAPAS 8 GN SS	TAPAS 8 PI
TEMPERATURE (°C)		+3/+5	+3/+5	+3/+5
WIDTH		1790	1790	1790
LENGTH		380	380	380
HEIGHT		380	255	255
CAPACITY (L)		-	-	-
SHELVES		-	-	Exhibition plane 1410x325mm
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		N° 8 GN 1/3 - h.40 mm.	N° 8 GN 1/3 - h.40 mm.	-
ABSORPTION (W)		266	266	266
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Manual defrosting	Manual defrosting	Manual defrosting
EVAPORATION		MAN	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGTH (KG)		45	44	44
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		colore oro,nero	colore oro,nero	colore oro,nero

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 8 PI SS	TAPAS 8 D GN	TAPAS 8 D GN 2
TEMPERATURE (°C)		+3/+5	+3/+5	+3/+5
WIDTH		1790	1790	1790
LENGTH		380	393	402
HEIGHT		255	310	380
CAPACITY (L)		-	-	-
SHELVES		Exhibition plane 1410x325mm	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		-	N° 8 GN 1/3 - h.40 mm.	N° 8 GN 1/3 - h.40 mm.
ABSORPTION (W)		266	266	266
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Manual defrosting	Manual defrosting	Manual defrosting
EVAPORATION		MAN	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGHT (KG)		44	44	61
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		colore oro,nero	nero	nero

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		TAPAS 10 D GN 2	TAPAS 10 GN	TAPAS 10 GN 2
TEMPERATURE (°C)		+3/+5	+3/+5	+3/+5
WIDTH		2141	2141	2141
LENGTH		402	380	380
HEIGHT		380	255	380
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		N° 10 GN 1/3 - h.40 mm.	N° 10 GN 1/3 - h.40 mm.	N° 10 GN 1/3 - h.40 mm.
ABSORPTION (W)		266	266	266
UMIDITY (%)		-	-	-
TYPE OF DEFROST		Manual defrosting	Manual defrosting	Manual defrosting
EVAPORATION		MAN	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		R290	R290	R290
NET WEIGHT (KG)		70	48	51
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		Static	Static	Static
STANDARD COLORS		argento	argento	argento
EXTRA COLORS		nero	colore oro,nero	colore oro,nero

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	TAPAS 10 GN SS	TAPAS 10 PI	TAPAS 10 PI SS
TEMPERATURE (°C)	+3/+5	+3/+5	+3/+5
WIDTH	2141	2141	2141
LENGTH	380	380	380
HEIGHT	255	255	255
CAPACITY (L)	-	-	-
SHELVES	-	Exhibition plane 1760x325mm	Exhibition plane 1760x325mm
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	N° 10 GN 1/3 - h.40 mm.	-	-
ABSORPTION (W)	266	266	266
UMIDITY (%)	-	-	-
TYPE OF DEFROST	Manual defrosting	Manual defrosting	Manual defrosting
EVAPORATION	MAN	MAN	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	R290	R290	R290
NET WEIGTH (KG)	51	48	48
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	Static	Static	Static
STANDARD COLORS	argento	argento	argento
EXTRA COLORS	colore oro,nero	colore oro,nero	colore oro,nero

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		GRANTAPAS 4 GN BM	GRANTAPAS 4 GN	GRANTAPAS 4 PI
TEMPERATURE (°C)		+30/+60	+3/+5	+3/+5
WIDTH		1425	1655	1655
LENGTH		603	603	603
HEIGHT		441	441	441
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		GN 1/1 - 1/3 SOLO h. 65 mm.	N° 4 GN 1/1 o N° 12 GN 1/3 - h.40 mm. N° 4 GN 1/1 o N° 12 GN 1/3 - h.65 mm	-
ABSORPTION (W)		2400	281	281
UMIDITY (%)		-	-	-
TYPE OF DEFROST		-	Manual defrosting	Manual defrosting
EVAPORATION		-	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		-	R290	R290
NET WEIGTH (KG)		40	72	72
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		-	Static	Static
STANDARD COLORS		argento	argento	argento

PRODUCT INFO	X REMOVE	X REMOVE	X REMOVE
			
	GRANTAPAS 3 GN BM	GRANTAPAS 3 GN	GRANTAPAS 3 PI
TEMPERATURE (°C)	+30/+60	+3/+5	+3/+5
WIDTH	1105	1330	1330
LENGTH	603	603	603
HEIGHT	441	441	441
CAPACITY (L)	-	-	-
SHELVES	-	-	-
STANDARD BASINS	-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)	-	N° 3 GN 1/1 o N° 9 GN 1/3 - h.40 mm. N° 3 GN 1/1 o N° 9 GN 1/3 - h.65 mm	-
ABSORPTION (W)	1800	273	273
UMIDITY (%)	-	-	-
TYPE OF DEFROST	-	Manual defrosting	Manual defrosting
EVAPORATION	-	MAN	MAN
VOLTAGE (V)	230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT	-	R290	R290
NET WEIGTH (KG)	31	50	50
LOCK	-	-	-
LIGHT	Led	Led	Led
REFRIGERATION	-	Static	Static
STANDARD COLORS	argento	argento	argento

PRODUCT INFO		X REMOVE	X REMOVE	X REMOVE
				
		GRANTAPAS 2 GN BM	GRANTAPAS 2 GN	GRANTAPAS 2 PI
TEMPERATURE (°C)		+30/+60	+3/+5	+3/+5
WIDTH		780	1005	1005
LENGTH		603	603	603
HEIGHT		441	441	441
CAPACITY (L)		-	-	-
SHELVES		-	-	-
STANDARD BASINS		-	-	-
BASINS MAXIMUM CAPACITY (ACCESSORIES)		GN 1/1 - 1/3 SOLO h. 65 mm.	N° 2 GN 1/1 o N° 6 GN 1/3 - h.40 mm. N° 2 GN 1/1 o N° 6 GN 1/3 - h.65 mm	-
ABSORPTION (W)		1200	265	265
UMIDITY (%)		-	-	-
TYPE OF DEFROST		-	Manual defrosting	Manual defrosting
EVAPORATION		-	MAN	MAN
VOLTAGE (V)		230v/1/50Hz	230v/1/50Hz	230v/1/50Hz
REFRIGERANT		-	R290	R290
NET WEIGTH (KG)		23	43	43
LOCK		-	-	-
LIGHT		Led	Led	Led
REFRIGERATION		-	Static	Static
STANDARD COLORS		argento	argento	argento

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru