

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

Технические характеристики на буфеты охлаждаемые и тепловые линии FUTURA, BI-COLORS компании **TECFRIGO**

NEW

COSTA 4



È ora di cambiare!

Tecfrigo è orgogliosa di presentare "Futura Line".

Si tratta di una nuova linea completa, dallo stile moderno, che si affianca alla già conosciuta e apprezzata linea classica delle Isole in legno massello.

Il nostro entusiasmo e la nostra voglia di cambiare, ci ha portato ad una **rivisitazione completa di forme e materiali**. La struttura in **pannelli multistrato** ci ha permesso di proporre le nuovissime finiture legno dai colori moderni e accattivanti.

"Artic Pine" e "Grey Ash" insieme al più classico "Frassino" sono i colori su cui abbiamo puntato per i nostri nuovi prodotti.

Tutti i modelli sono dotati di:

- **illuminazione a LED** ad elevata luminosità e risparmio energetico (eccetto le versioni riscaldate BM, Dry e Hot, dotate di lampade riscaldanti),
- **centralina Touch Screen** per il controllo di tutte le funzioni,
- **4 ruote piroettanti**, comprese 2 con funzione freno di serie,
- vasca e struttura superiore in **acciaio inox**
- **Cappa fissa in vetro** (esclusi i modelli "SS" e "PACIFIC" che sono dotati di cappa in polimetilmetraccrilato termoformato ad alta trasparenza, apribili).



It is time to change!

Tecfrigo is proud to present "Futura Line".

It is a complete new line, with a modern style, to put together with the already known and appreciated classic Isola line in solid wood.

*Our enthusiasm and our desire to change have led us to a **complete forms and materials reviewing**.*

*The structure in **multilayer panels** allowed us to propose the newest wood finishes, with modern and attractive colours.*

"Artic Pine" and "Grey Ash" together with classic "Frassino" are the colours we have chosen for our new products.

All models will be supplied with:

- **LEDs-lighting** with high luminous efficiency and energy saving (BM, Dry and Hot versions have warming lamps);
- **full Touch Screen control unit**, to control all functions;
- **4 wheels**, 2 with brake as standard;
- **tank and upper structure in stainless steel**;
- **Fixed glass-hood** (models "SS" and "PACIFIC" have the cover in thermoformed polymethylmethacrylate, high transparency, openable).

Colore standard
Standard color



COD. 96

Colori optional
Optional colors



COD. 87



COD. 88



RAL



NEW

pacific 4





Colore standard Standard color	Colori optional Optional colors		
			
COD. 96	COD. 87	COD. 88	RAL

NEW

futura 4

Cupola superiore fissa con sistema di illuminazione a luci LED
 / Upper fix glass-hood with LED system lighting

Struttura sostegno cupola in acciaio inox AISI 304
 Hood support structure made of AISI 304 stainless steel

Angolari in acciaio inox AISI 304
 Angular support structure made of AISI 304 stainless steel

Listelli in legno massello verniciato
 Strips of painted solid wood


Vano neutro e zoccolo inferiore in acciaio inox AISI 304
 Neutral compartment and lower skirting made of AISI 304 stainless steel

Pannelli multistrato con finitura legno
 Multilayer panels with wood finish

Centralina Touch Screen
 Touch Screen control panel

Vetro curvo temperato
 Curved tempered glass






		°C	mm. (LxPxH)	Capacità vaschette/Basins capacity	Watt	H ₂ O			Kg.	
NEW Futura 4 VT		+4/+10	1422x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 65 mm.	510	MAN	230v/1/50Hz	R404a	150	LED di serie
NEW Futura 6 VT		+4/+10	2073x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 65 mm.	850	MAN	230v/1/50Hz	R404a	195	LED di serie
NEW Futura 4		+4/+10	1422x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 100 mm.	440	MAN	230v/1/50Hz	R404a	146	LED di serie
NEW Futura 6		+4/+10	2073x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 100 mm.	500	MAN	230v/1/50Hz	R404a	191	LED di serie
NEW Futura 4 VT SS		+4/+10	1422x774x1310	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 65 mm.	510	MAN	230v/1/50Hz	R404a	154	LED di serie
NEW Futura 6 VT SS		+4/+10	2073x774x1310	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 65 mm.	850	MAN	230v/1/50Hz	R404a	195	LED di serie
NEW Futura 4 SS		+4/+10	1422x774x1310	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 100 mm.	490	MAN	230v/1/50Hz	R404a	148	LED di serie
NEW Futura 6 SS		+4/+10	2073x774x1310	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 100 mm.	550	MAN	230v/1/50Hz	R404a	193	LED di serie
NEW Costa 4		+4/+10	1422x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 100 mm.	480	MAN	230v/1/50Hz	R404a	148	LED di serie
NEW Costa 6		+4/+10	2073x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 100 mm.	570	MAN	230v/1/50Hz	R404a	200	LED di serie

Dati di collaudo • Test details • Détails d'essai • Prüfungsergebnisse • Datos de ensayo • MAX = (30°C - % U.R. 55)


		°C	mm. (LxPxH)	Uscita acqua Water outlet Sortie eau Wasserausstritt Salida agua	Piano refrigerato Refrigerated plate Tablette réfrigérée Gekühlte fläche Estante refrigerado	Watt	H ₂ O			Kg.	
NEW Antartide 4		-1/0	1422x750x1430	-	mm. 1280x600	650	MAN	230v/1/50Hz	R404a	138	LED di serie
NEW Antartide 6		-1/0	2073x750x1430	-	mm. 1920x600	850	MAN	230v/1/50Hz	R404a	172	LED di serie
NEW Ghiottone 4		-1/0	1422x750x1430	Ø mm.20	mm. 1307x587 h. 160	750	MAN	230v/1/50Hz	R404a	138	LED di serie
NEW Ghiottone 6		-1/0	2073x750x1430	Ø mm.20	mm. 1957x587 h. 160	750	MAN	230v/1/50Hz	R404a	172	LED di serie
NEW Pacific 4		-2/0	1422x750x1310	Ø mm.20	mm. 1307x587 h. 160	480	MAN	230v/1/50Hz	R404a	142	LED di serie
NEW Pacific 6		-2/0	2073x750x1310	Ø mm.20	mm. 1957x587 h. 160	750	MAN	230v/1/50Hz	R404a	182	LED di serie

Dati di collaudo • Test details • Détails d'essai • Prüfungsergebnisse • Datos de ensayo • MAX = (30°C - % U.R. 55)

FUTURA 4-6




N.B.: le bacinelle *h. 100* sono posizionabili a piacere sui diversi livelli.
N.B.: the *h. 100* basins can be positioned as desired on the different levels.







* **ACCESSORI/** Kit portapiatti
ACCESSORIES: Plates holder kit
 Kit porte-assiettes
Kit Tabletterutschen
 Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables



FUTURA 4-6 VT



N.B.: le bacinelle *h. 20/40/65* sono posizionabili a piacere sui diversi livelli e sovrapponibili.
N.B.: the *h. 20/40/65* basins can be positioned as desired on the different levels and stackable.

ACCESSORIO/ACCESSORY:


- ACCESSORIO/ACCESSORY:**
- Piano inox per piatti pronti e pasticceria (fornito a richiesta)
 - *Stainless steel tray for ready-to-serve dishes or pastry (supplied on request)*
 - Plateau inox pour plats cuisinés ou pâtisseries (fourni sur demande)
 - *Tablett aus roststahl für patisserie oder fertige speisen (lieferbar auf anfrage)*
 - Bandeja de acero inoxidable para platos listos o para pastelerías para llevar (bajo demanda)

* **ACCESSORI/** Kit portapiatti
ACCESSORIES: Plates holder kit
 Kit porte-assiettes
 Kit Tabletterutschen
 Kit porta-platos


Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables



FUTURA 4-6 SS




N.B.: le bacinelle *h. 100* sono posizionabili a piacere sui diversi livelli.
N.B.: the *h. 100* basins can be positioned as desired on the different levels.




* **ACCESSORI/**
ACCESSORIES: Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-plates

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables



FUTURA 4-6 VT SS

**ACCESSORIO/ACCESSORY:**

- Piano inox per piatti pronti e pasticceria (fornito a richiesta)
- Stainless steel tray for ready-to-serve dishes or pastry (supplied on request)
- Plateau inox pour plats cuisinés ou pâtisserie (fourni sur demande)
- Tablett aus nirostahl für patisserie oder fertige speisen (lieferbar auf anfrage)
- Bandeja de acero inoxidable para platos listos o para pastelerías para llevar (bajo demanda)


*

ACCESSORI/


ACCESSORIES:
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables

N.B.: le bacinelle h. 20/40/65 sono posizionabili a piacere sui diversi livelli e sovrapponibili.
N.B.: the h. 20/40/65 basins can be positioned as desired on the different levels and stackable.



ANTARTIDE 4-6




*


ACCESSORI/

ACCESSORIES:
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables



COSTA 4-6



*

ACCESSORI/



ACCESSORIES:
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables

N.B.: le bacinelle h. 100 sono posizionabili a piacere sui diversi livelli.
N.B.: the h. 100 basins can be positioned as desired on the different levels.




GHIOTTONE 4-6




- EVAPORATORE ANNEGATO NEL POLIURETANO DELLA VASCA
- EVAPORATOR SET IN THE POLYURETHAN OF THE TANK
- EVAPORATEUR INSÉRÉ DANS LE POLYURÉTHANE DU BAC
- VERDAMPFER IM POLYURETHAN DES BECKENS EINGESETZT
- EVAPORADOR ENCASTRADO EN EL POLIURETANO DE LA CUBA

Vasca in acciaio inox AISI 316 resistente alla corrosione salina • Salt-proof AISI 316 stainless steel basin • Cuve en acier inox AISI 316 résistant à la corrosion du sel • Edelstahl AISI 316 Wanne Salzkorrosion resistent • Cuba en acero inox AISI 316 resistente a la corrosión salina



* ACCESSORI/ ACCESSORIES: Kit portapiatti Plates holder kit
Kit porte-assiettes Tablettes articulées
Kit Tabletterutschen Verstellbare Konsolle
Kit porta-platos Estantes articulares

ACCESSORIO / ACCESSORY:
KIT GN

Kit per bacinelle GN - SOLO h. 100 mm.
GN basins kit - ONLY h. 100 mm.
Kit bacs GN - SEULEMENT h. 100 mm.
GN schalen Set - NUR h. 100 mm.
Kit cubetas GN - SÓLO h. 100 mm.




PACIFIC 4-6




- EVAPORATORE ANNEGATO NEL POLIURETANO DELLA VASCA
- EVAPORATOR SET IN THE POLYURETHAN OF THE TANK
- EVAPORATEUR INSÉRÉ DANS LE POLYURÉTHANE DU BAC
- VERDAMPFER IM POLYURETHAN DES BECKENS EINGESETZT
- EVAPORADOR ENCASTRADO EN EL POLIURETANO DE LA CUBA

Vasca in acciaio inox AISI 316 resistente alla corrosione salina • Salt-proof AISI 316 stainless steel basin • Cuve en acier inox AISI 316 résistant à la corrosion du sel • Edelstahl AISI 316 Wanne Salzkorrosion resistent • Cuba en acero inox AISI 316 resistente a la corrosión salina


* ACCESSORI/ ACCESSORIES: Kit portapiatti Plates holder kit
Kit porte-assiettes Tablettes articulées
Kit Tabletterutschen Verstellbare Konsolle
Kit porta-platos Estantes articulares

ACCESSORIO / ACCESSORY:
KIT GN

Kit per bacinelle GN - SOLO h. 100 mm.
GN basins kit - ONLY h. 100 mm.
Kit bacs GN - SEULEMENT h. 100 mm.
GN schalen Set - NUR h. 100 mm.
Kit cubetas GN - SÓLO h. 100 mm.



OPTIONAL: Colori RAL / RAL colour / Couleur RAL / Farbe RAL / Color RAL








FUTURA 4 - 6 VT

FUTURA 4 - 6

FUTURA 4 - 6 VT SS

FUTURA 4 - 6 SS

COSTA 4 - 6

**ACCESSORIO/ACCESSORY:**


- LE VASCHETTE GN SONO FORNITE A RICHIESTA.
- GN BASINS ARE AVAILABLE ON REQUEST.
- LES BACS GN SONT FOURNIS SUR DEMANDE.
- DIE GN SCHALEN WERDEN AUF WUNSCH DELIEFERT.
- LAS CUBETAS GN SE ENTREGAN BAJO DEMANDA.




FUTURA 4 - 6

FUTURA 4 - 6 SS

COSTA 4 - 6

**ACCESSORIO/ACCESSORY:**

- Piano inox per piatti pronti e pasticceria (fornito a richiesta)
- Stainless steel tray for ready-to-serve dishes or pastry (supplied on request)
- Plateau inox pour plats cuisinés ou pâtisserie (fourni sur demande)
- Tablett aus roststahl für patisserie oder fertige speisen (lieferbar auf anfrage)
- Bandeja de acero inoxidable para platos listos o para pastelerías para llevar (bajo demanda)




- ALTEZZA VASCA = 140 mm
- HEIGHT OF THE BASIN = 140 mm
- HAUTEUR DU BAC = 140 mm
- HÖHE DER WANNE = 140 mm
- ALTURA DA LA CUBA = 140 mm




FUTURA 4 - 6 VT

FUTURA 4 - 6 VT SS

**ACCESSORIO/ACCESSORY:**


- Piano inox per piatti pronti e pasticceria (fornito a richiesta)
- Stainless steel tray for ready-to-serve dishes or pastry (supplied on request)
- Plateau inox pour plats cuisinés ou pâtisserie (fourni sur demande)
- Tablett aus roststahl für patisserie oder fertige speisen (lieferbar auf anfrage)
- Bandeja de acero inoxidable para platos listos o para pastelerías para llevar (bajo demanda)



- ALTEZZA VASCA = 100 mm
- HEIGHT OF THE BASIN = 100 mm
- HAUTEUR DU BAC = 100 mm
- HÖHE DER WANNE = 100 mm
- ALTURA DA LA CUBA = 100 mm

GHIOTTONE 4 - 6

PACIFIC 4 - 6



- ALTEZZA VASCA = 140 mm
- HEIGHT OF THE BASIN = 140 mm
- HAUTEUR DU BAC = 140 mm
- HÖHE DER WANNE = 140 mm
- ALTURA DA LA CUBA = 140 mm

ACCESSORIO/ACCESSORY:

- VASCA IN ACCIAIO INOX AISI 316 RESISTENTE ALLA CORROSIONE SALINA
- SALT-PROOF AISI 316 STAINLESS STEEL BASIN
- CUVE EN ACIER INOX AISI 316 RÉSISTANT À LA CORROSION DU SEL
- EDELSTAHL AISI 316 WANNE SALZKORROSION RESISTENT
- CUBA EN ACERO INOX AISI 316 RESISTENTE A LA CORROSIÓN SALINA

NEW

futura 4 hot

ACCESSORI:

Mensole portapiatti snodabili

ACCESSORIES:

Tipping plate-holder shelves

Colore standard
Standard color

COD. 96

Colori optional
Optional colors

COD. 87




COD. 88




RAL

**FUTURA BM 4-6**


+30/+90

**FUTURA DRY 4-6**

+30/+70



**FUTURA HOT 4-6**

+30/+90



					Piastra in vetroceramica Glass-ceramic plates Plaques en ceramique de verre Platten aus glaskeramik Placas en vidrio-ceramica		Potenza totale Total power Puissance totale Gesamte leistung Potencia total		Potenza lampade riscaldanti Warming lamps power Puissance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras		
		°C	mm. (LxPxH)	Capacità vaschette/Basins capacity		Watt		Watt			Kg.
	Futura 4 BM		+30/+90	1422x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 SOLO h. 150 mm. - ONLY h. 150 mm.	-	3500	900 (3x300)	230v/1/50Hz	122	
	Futura 6 BM		+30/+90	2073x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 SOLO h. 150 mm. - ONLY h. 150 mm.	-	4400	1200 (4x300)	400v/3/50Hz	160	
	Futura 4 Dry		+30/+70	1422x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 20 mm.	-	2500	900 (3x300)	230v/1/50Hz	135	
	Futura 6 Dry		+30/+70	2073x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 150 mm. - h. MIN 20 mm.	-	3500	1200 (4x300)	400v/3/50Hz	182	
	Futura 4 Hot		+30/+90	1422x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 65 mm. - h. MIN 20 mm.	n° 2 mm. 530x650	2300	900 (3x300)	230v/1/50Hz	125	
	Futura 6 Hot		+30/+90	2073x750x1430	GN 1/4 - 1/3 - 1/2 - 2/3 - 1/1 - 2/1 h. MAX 65 mm. - h. MIN 20 mm.	n° 3 mm. 530x650	3200	1200 (4x300)	230v/1/50Hz	165	

FUTURA 4-6 BM





* ACCESSORI/
ACCESSORIES:

Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulares



FUTURA 4-6 DRY





* ACCESSORI/
ACCESSORIES:

Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulares



FUTURA 4-6 HOT









* ACCESSORI/
ACCESSORIES:


Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulares




FUTURA 4 - 6 BM**FUTURA 4 - 6 DRY**

- LE VASCHETTE GN SONO FORNITE A RICHIESTA
- GN BASINS ARE AVAILABLE ON REQUEST
- LES BACS GN SONT FOURNIS SUR DEMANDE
- DIE GN SCHALEN WERDEN AUF WUNSCH GELIEFERT
- LAS CUBETAS GN SE ENTREGAN BAJO DEMANDA

FUTURA 4 - 6 HOT

- PIASTRE IN VETROCERAMICA GN 2/1,
- GLASS-CERAMIC PLATES GN 2/1,
- PLAQUES EN CERAMIQUE DE VERRE GN 2/1,
- PLATTEN AUS GLASKERAMIK GN 2/1,
- PLACAS EN VIDRIO-CERAMICA GN 2/1

OPTIONAL: Colori RAL / RAL colour / Couleur RAL / Farbe RAL / Color RAL



Linea Bi-Colors



Proxima 4 m vt

Doppia ventilazione:
passaggio aria fredda, sopra e sotto le bacinelle
Double ventilation:
refrigerated air passage, over and under food pans

**DI SERIE/STANDARD:**

Ruote girevoli con e senza freno, cromate inox
Chrome stainless swivel castors with and without brake

Colori standard
Standard colors



Colori optional
Optional colors



COD. 92 COD. 94

RAL

		°C	mm. (LxPxH)	h. MAX. 150 mm. h. MIN. 65 mm.	Watt	DEFROST	H ₂ O			Kg.		
Proxima 3 M VT		+4/+10	1122x750x1528	GN 1/4 - 1/3 - 1/2 - 1/1 1/6 - 1/9 - 2/1 - 2/3	500		AUT	230v/1/50Hz		R404a	119	- di serie
Proxima 4 M VT		+4/+10	1422x750x1528	GN 1/4 - 1/3 - 1/2 - 1/1 1/6 - 1/9 - 2/1 - 2/3	520		AUT	230v/1/50Hz		R404a	125	- di serie
Proxima 6 M VT		+4/+10	2062x750x1528	GN 1/4 - 1/3 - 1/2 - 1/1 1/6 - 1/9 - 2/1 - 2/3	540		AUT	230v/1/50Hz		R404a	170	- di serie

Proxima 6 M

**DI SERIE/STANDARD:**

Ruote girevoli con e senza freno, cromate inox
 Chrome stainless swivel castors with and without brake

Colori standard
 Standard colors

Colori optional
 Optional colors




		°C	mm. (LxPxH)	h. MAX. 150 mm. h. MIN. 100 mm.	Watt	H ₂ O				Kg.		
Proxima 3 M		+4/+10	1122x750x1528	Gastronorm 1/4 - 1/3 - 1/2 - 1/1 1/6 - 1/9 - 2/1 - 2/3	410		230v/1/50Hz		R404a	117	-	di serie
Proxima 4 M		+4/+10	1422x750x1528	Gastronorm 1/4 - 1/3 - 1/2 - 1/1 1/6 - 1/9 - 2/1 - 2/3	430		230v/1/50Hz		R404a	129	-	di serie
Proxima 6 M		+4/+10	2062x750x1528	Gastronorm 1/4 - 1/3 - 1/2 - 1/1 1/6 - 1/9 - 2/1 - 2/3	450		230v/1/50Hz		R404a	166	-	di serie

Scenic 6 M

**DI SERIE/STANDARD:**


Ruote girevoli con e senza freno, cromate inox
Chrome stainless swivel castors with and without brake



- E**
- EVAPORATORE ANNEGATO NEL POLIURETANO DELLA VASCA
 - EVAPORATOR SET IN THE POLYURETHAN OF THE TANK
 - EVAPORATEUR INSÉRÉ DANS LE POLYURÉTHANE DU BAC
 - VERDAMPFER IM POLYURETHAN DES BECKENS EINGESETZT
 - EVAPORADOR ENCASTRADO EN EL POLIURETANO DE LA CUBA

Vasca in acciaio inox AISI 316 resistente alla corrosione salina • Salt-proof AISI 316 stainless steel basin • Cuve en acier inox AISI 316 résistante à la corrosion du sel • Edelstahl AISI 316 Wanne Salzkorrosion resistent • Cuba en acero inox AISI 316 resistente a la corrosión salina

ACCESSORIO / ACCESSORY SCENIC: KIT GN



Kit per bacinelle GN - SOLO h. 100 mm.
GN basins kit - ONLY h. 100 mm.
Kit bacs GN - SEULEMENT h. 100 mm.
GN schalen Set - NUR h. 100 mm.
Kit cubetas GN - SOLO h. 100 mm.

Colori standard
Standard colors



COD. 92



COD. 94

Colori optional
Optional colors



RAL

		°C	mm. (LxPxH)	Uscita acqua Water outlet Sortie eau Wasseraustritt Salida agua	Piano refrigerato Refrigerated plate Tablette réfrigérée Gekühlte Fläche Estante refrigerado	Watt	H ₂ O				Kg.		
Scenic 3 M		-1/0	1122x750x1528	Ø mm. 20	mm. 982x587 h. 160	750		230v/1/50Hz		R404a	139	-	di serie
Scenic 4 M		-1/0	1422x750x1528	Ø mm. 20	mm. 1307x587 h. 160	750		230v/1/50Hz		R404a	163	-	di serie
Scenic 6 M		-1/0	2062x750x1528	Ø mm. 20	mm. 1957x587 h. 160	810		230v/1/50Hz		R404a	192	-	di serie

cambusa



ACCESSORIO / ACCESSORY:
Kit portapiatti
Plate-holder kit

Vano di servizio
neutro per
posateria
Neutral service
area for cutlery


Colori standard
Standard colors




ACCESSORIO / ACCESSORY:
Ripiano intermedio
Middle shelf

	°C	mm. (LxPxH)	h. MAX. 150 mm. h. MIN. 100 mm.	DI SERIE	Watt	DEFROST	H ₂ O				Kg.		
Cambusa	+4/+10	1430x750x1800	GN 1/4-1/3-1/2 2/3-1/1-2/1	n° 2 mm. 1230x300	600		AUT	230v/1/50Hz			R404a	140	di serie



PROXIMA 3 M




PROXIMA 4 M




PROXIMA 6 M




• AZIONAMENTO ELETTRICO CUPOLA IN PLEXIGLASS • ELECTRICAL OPERATION OF THE PLEXIGLASS COVER • FONCTIONNEMENT ÉLECTRIQUE DU COUVERCLE EN PLEXIGLASS
• ANTRIEB DER PLEXIGLASS HAUBE • ELEVACION ELECTRICO CUPOLA DE PLEXIGLASS







PROXIMA 3 M VT



PROXIMA 4 M VT




PROXIMA 6 M VT




N.B.: le bacinelle h. 65/40/20 sono posizionabili a piacere sui diversi livelli e sovrapponibili.


• AZIONAMENTO ELETTRICO CUPOLA IN PLEXIGLASS • ELECTRICAL OPERATION OF THE PLEXIGLASS COVER • FONCTIONNEMENT ÉLECTRIQUE DU COUVERCLE EN PLEXIGLASS
• ANTRIEB DER PLEXIGLASS HAUBE • ELEVACION ELECTRICO CUPOLA DE PLEXIGLASS





SCENIC 3 M




SCENIC 4 M



SCENIC 6 M




SCENIC: KIT GN






ACCESSORIO / ACCESSORY:
Kit per bacinelle GN - SOLO h. 100 mm.
GN basins kit - ONLY h. 100 mm.
Kit basen GN - SEULEMENT h. 100 mm.
GN schalen Set - NUR h. 100 mm.
Kit cubetas GN - SOLO h. 100 mm.


• AZIONAMENTO ELETTRICO CUPOLA IN PLEXIGLASS • ELECTRICAL OPERATION OF THE PLEXIGLASS COVER
• FONCTIONNEMENT ÉLECTRIQUE DU COUVERCLE EN PLEXIGLASS • ANTRIEB DER PLEXIGLASS HAUBE
• ELEVACION ELECTRICO CUPOLA DE PLEXIGLASS




CAMBUSA



ACCESSORI/ACCESSORIES:
Kit portaplati (ingombro)
Plates holder kit (overall dimensions)
Kit porte-assiettes (encombrement)
Kit Tabletentrassen (Aussemmass)
Kit porta-platos (volumen)



Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulares




PROXIMA 3 - 4 - 6 M





PROXIMA 3 - 4 - 6 M VT

SCENIC 4 - 6 M / KIT GN

CAMBUSA



(Mod. 4) - 1320
(Mod.6) - 1960



(Mod. 3) - 1020
(Mod. 4) - 1320
(Mod.6) - 1960



ACCESSORIO/ACCESSORY:

- LE VASCHE GN SONO FORNITE A RICHIESTA.
- GN BASINS ARE AVAILABLE ON REQUEST.
- LES BACS GN SONT FOURNIS SUR DEMANDE.
- DIE GN SCHALEN WERDEN AUF WUNSCH DELIEFERT.
- LAS CUBETAS GN SE ENTREGAN BAJO DEMANDA.




PROXIMA 3 - 4 - 6 M

CAMBUSA



- ALTEZZA VASCA = 140 mm
- HEIGHT OF THE BASIN = 140 mm
- HAUTEUR DU BAC = 140 mm
- HÖHE DER WANNE = 140 mm
- ALTURA DA LA CUBA = 140 mm

(Mod. 3) - 1020




(Mod. 4) - 1320
(Mod.6) - 1960

ACCESSORIO/ACCESSORY:


- Piano inox per piatti pronti e pasticceria (fornito a richiesta)
- Stainless steel tray for ready-to-serve dishes or pastry (supplied on request)
- Plateau inox pour plats cuisinés ou pâtisserie (fourni sur demande)
- Tablett aus roststahl für patisserie oder fertige speisen (lieferbar auf anfrage)
- Bandeja de acero inoxidable para platos listos o para pastelerías para llevar (bajo demanda)



PROXIMA 3 - 4 - 6 M VT




Mod. 3 - 1020 - Max n° 3



Mod. 4 - 1320 - Max n° 2
Mod. 6 - 1960 - Max n° 3


ACCESSORIO/ACCESSORY:

- Piano inox per piatti pronti e pasticceria (fornito a richiesta)
- Stainless steel tray for ready-to-serve dishes or pastry (supplied on request)
- Plateau inox pour plats cuisinés ou pâtisserie (fourni sur demande)
- Tablett aus roststahl für patisserie oder fertige speisen (lieferbar auf anfrage)
- Bandeja de acero inoxidable para platos listos o para pastelerías para llevar (bajo demanda)



- ALTEZZA VASCA = 100 mm
- HEIGHT OF THE BASIN = 100 mm
- HAUTEUR DU BAC = 100 mm
- HÖHE DER WANNE = 100 mm
- ALTURA DA LA CUBA = 100 mm

SCENIC 3 - 4 - 6 M




(Mod. 3) - 1020
(Mod. 4) - 1320
(Mod.6) - 1960

- ALTEZZA VASCA = 140 mm
- HEIGHT OF THE BASIN = 140 mm
- HAUTEUR DU BAC = 140 mm
- HÖHE DER WANNE = 140 mm
- ALTURA DA LA CUBA = 140 mm

ACCESSORIO/ACCESSORY:

- VASCA IN ACCIAIO INOX AISI 316 RESISTENTE ALLA CORROSIONE SALINA
- SALT-PROOF AISI 316 STAINLESS STEEL BASIN
- CUVE EN ACIER INOX AISI 316 RÉSISTANT À LA CORROSION DU SEL
- EDELSTAHL AISI 316 WANNE SALZKORROSION RESISTENT
- CUBA EN ACERO INOX AISI 316 RESISTENTE A LA CORROSIÓN SALINA

ACCESSORI/ACCESSORIES:

- 1** **Kit portapiatti / Plates holder kit / Kit porte-assiettes / Kit Tabletrutschen / Kit porta-platos**
MAX: N° 4 Mensole snodabili / N° 4 Articulated shelves / N° 4 Tablettes articulées / N° 4 Verstellbare Konsole / N° 4 Estantes articulables

OPTIONAL: LUCE PER VANO A GIORNO NEUTRO / *Light for neutral open compartment* / *Lamp pour compartiment ouvert neutre* / *Licht für neutrale offenes Fach* / *Luz para compartimento abierto neutral*



ONE COLOR STYLE: Accessorio portapiatti in tinta, un solo colore, tutto Wengè o tutto Acero / *Only one colour plateholder, all Wengè or all Maple* / *Porte-plat à une seule couleur, tout wengè ou tout érable* / *Zubehör: Tabletrutschen farbig auf das Buffet abgestimmt, einfarbig, komplett Wengé oder komplett Ahorn.*



WENGÈ (COD. 92)
• ONE COLOR •



ACERO (COD. 94)
• ONE COLOR •

TWO COLORS STYLE: Accessorio portapiatti bi-colore, con bordo panna / *Bicoloured plateholder, with cream colour edge* / *Porte-plat bicolore, avec bord couleur crème* / *Zubehör: Tabletrutschen zwei-Farbig, mit cremefarben Rand*



WENGÈ (COD. 92)
• TWO COLORS •



ACERO (COD. 94)
• TWO COLORS •

Proxima 4 M Bain Marie

**DI SERIE/STANDARD:**

Ruote girevoli con e senza freno, cromate inox
 Chrome stainless swivel castors with and without brake

Cosa c'è di nuovo? What's new?**NEW****OPTIONAL:**

Carico automatico dell'acqua / Automatic water loading / Chargement automatique de l'eau
 Automatisch laden Wasser / Carga automatico de agua

Colori standard
 Standard colors



Colori optional
 Optional colors



		°C		mm. (LxPxH)		SOLO h. 150 mm. ONLY h. 150 mm.		Watt	Potenza resistenze bagno maria "Bain-marie" heating elements power Puisance des resistances "bain-marie" Leistung der wasserbadheizkörper Potencia resistencia baño maria		Watt	Potenza lampade riscaldanti Warming lamps power Puisance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras		Watt	Potenza totale Total power Puisance totale Gesamte leistung Potencia total			Kg.	
Proxima 3 M BM		+30/+90		1122x750x1528		GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1		1800 (3x600)			600 (2x300)		2650	230v/1/50Hz	91		di serie		
Proxima 4 M BM		+30/+90		1422x750x1528		GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1		2400 (4x600)			900 (3x300)		3550	230v/1/50Hz	103		di serie		
Proxima 6 M BM		+30/+90		2062x750x1528		GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1		3000 (5x600)			1200 (4x300)		4450	400v/3/50Hz	149		di serie		

Proxima 4 M Dry

**DI SERIE/STANDARD:**

Ruote girevoli con e senza freno, cromate inox
 Chrome stainless swivel castors with and without brake

Colori standard
 Standard colors



COD. 92



COD. 94

Colori optional
 Optional colors



RAL

		°C		mm. (LxPxH)		h. MAX 150 mm.		Watt	Potenza resistenza vasca Basins heating elements power Puissance des resistances de la cuve Leistung der wanne-heizkörper Potencia resistencias cuba		Watt	Potenza lampade riscaldanti Warming lamps power Puissance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras		Watt	Potenza totale Total power Puissance totale Gesamte leistung Potencia total			Kg.	
Proxima 3 M Dry		+30/+70	1122x750x1528	GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1				1400 (2x700)			600 (2x300)			2200	230v/1/50Hz	87		di serie	
Proxima 4 M Dry		+30/+70	1422x750x1528	GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1				1400 (2x700)			600 (3x300)			2500	230v/1/50Hz	110		di serie	
Proxima 6 M Dry		+30/+70	2062x750x1528	GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1				2100 (3x700)			1200 (4x300)			3500	400v/3/50Hz	139		di serie	

Proxima 4 M Hot

**DI SERIE/STANDARD:**

Ruote girevoli con e senza freno, cromate inox
 Chrome stainless swivel castors with and without brake

Colori standard
 Standard colors



Colori optional
 Optional colors








										
		°C	mm. (LxPxH)	h. MIN 20 mm. h. MAX 65 mm.	Potenza piastre in vetroceramica Glass-ceramic plates power Puisance des plaques en ceramique de verre Leistung der platten aus glaskeramik Potencia placas en vidrio-ceramica	Potenza lampade riscaldanti Warming lamps power Puisance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras	Potenza totale Total power Puisance totale Gesamte leistung Potencia total		Kg.	
Proxima 3 M Hot		+30/+90	1122x750x1528	GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	900	600 (2x300)	1750	230v/1/50Hz	87	di serie
Proxima 4 M Hot		+30/+90	1422x750x1528	GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	1200	900 (3x300)	2300	230v/1/50Hz	110	di serie
Proxima 6 M Hot		+30/+90	2062x750x1528	GN 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	1800	1200 (4x300)	3200	230v/1/50Hz	134	di serie

PROXIMA 3 M HOT

PROXIMA 4 M HOT

PROXIMA 6 M HOT



PROXIMA 3 M BM

PROXIMA 4 M BM





PROXIMA 6 M BM



PROXIMA 3 M DRY

PROXIMA 4 M DRY


PROXIMA 6 M DRY



BAIN-MARIE



DRY



• AZIONAMENTO ELETTRICO CUPOLA IN PLEXIGLASS • ELECTRICAL OPERATION OF THE PLEXIGLASS COVER • FONCTIONNEMENT ÉLECTRIQUE DU COUVERCLE EN PLEXIGLASS • ANTRIEB DER PLEXIGLASS HAUBE • ELEVACION ELECTRICO CUPOLA DE PLEXIGLASS

OPTIONAL: LUCE PER VANO A GIORNO NEUTRO / Light for neutral open compartment / Lamp pour compartiment ouvert neutre / Licht für neutrale offenes Fach / Luz para compartimento abierto neutral



ONE COLOR STYLE: Accessorio portapiatti in tinta, un solo colore, tutto Wengè o tutto Acero / Only one colour plateholder, all Wengè or all Maple / Porte-plat à une seule couleur, tout wengè ou tout érable / Zubehör: Tabletrutschen farbig auf das Buffet abgestimmt, einfarbig, komplett Wengè oder komplett Ahorn.



WENGÈ (COD. 92)
• ONE COLOR •



ACERO (COD. 94)
• ONE COLOR •

TWO COLORS STYLE: Accessorio portapiatti bi-colore, con bordo panna / Bicoloured plateholder, with cream colour edge / Porte-plat bicolore, avec bord couleur crème / Zubehör: Tabletrutschen zwei-Farbig, mit cremefarben Rand





WENGÈ (COD. 92)
• TWO COLORS •



ACERO (COD. 94)
• TWO COLORS •


PROXIMA 3 - 4 - 6 M BAIN-MARIE

PROXIMA 3 - 4 - 6 M DRY



- LE VASCETTE GN SONO FORNITE A RICHIESTA
- GN BASINS ARE AVAILABLE ON REQUEST
- LES BACS GN SONT FOURNIS SUR DEMANDE
- DIE GN SCHALEN WERDEN AUF WUNSCH GELIEFERT
- LAS CUBETAS GN SE ENTREGAN BAJO DEMANDA




PROXIMA 3 - 4 - 6 M HOT



- PIASTRE IN VETROCERAMICA GN 2/1,
- GLASS-CERAMIC PLATES GN 2/1,
- PLAQUES EN CERAMIQUE DE VERRE GN 2/1,
- PLATTEN AUS GLASKERAMIK GN 2/1,
- PLACAS EN VIDRIO-CERAMICA GN 2/1

ACCESSORI/ACCESSORIES:

1



1

Kit portapiatti / Plates holder kit / Kit porte-assiettes / Kit Tabletterutschen / Kit porta-platos

MAX: N° 4 Mensole snodabili / N° 4 Articulated shelves / N° 4 Tablettes articulées / N° 4 Verstellbare Konsole / N° 4 Estantes articulables



COLD
ENGINEERING
TECFRIGO

FUTURA MURALE 6

Temperature (°C)	+4/+10
Dimensions LxPxH (mm)	2073x750x1430
Refrigeration	Static
Capacity (L)	-
Shelves	-
Basins maximum capacity (accessories)	GN 1/4-1/3-1/2-2/3-1/1-2/1
	h. MAX 150 mm. - h. MIN 100 mm.
Absorption (W)	350
Umidity (%)	-
Type of defrost	Automatic defrosting by hot gas
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	193
Lock	.
Light	Led
Standard colors	Artic pine coloured wood,
Extra colors	Gray Ash wood,

SKU: FUTURA MURALE 6

CATEGORIES: Catering - Food, Futura, Tecfrigo

TAGS: buffet, fixed dome, gastronorm, wall, wall mount, wood



COLD
ENGINEERING
TECFRIGO

FUTURA GOURMET 6

Temperature (°C)	-1/0
Dimensions LxPxH (mm)	2073x750x1430
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	410
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	180
Lock	.
Light	Led
Standard colors	Artic pine coloured wood,
Extra colors	Gray Ash wood,

SKU: FUTURA GOURMET 6

CATEGORIES: Catering - Food, Futura, Tecfrigo

TAGS: buffet, fish, fixed dome, horizontal, meat, wood



COLD
ENGINEERING
TECFRIGO

FUTURA GOURMET 4

Temperature (°C)	-1/0
Dimensions LxPxH (mm)	1422x750x1430
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	390
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	140
Lock	.
Light	Led
Standard colors	Artic pine coloured wood,
Extra colors	Gray Ash wood,

SKU: FUTURA GOURMET 4

CATEGORIES: Catering - Food, Futura, Tecfrigo

TAGS: buffet, fish, fixed dome, horizontal, meat, wood



COLD
ENGINEERING
TECFRIGO

FUTURA BRINA 6

Temperature (°C)	-1/0
Dimensions LxPxH (mm)	2073x750x1430
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	410
Umidity (%)	-
Type of defrost	Manual defrosting
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	180
Lock	.
Light	Led
Standard colors	Artic pine coloured wood,
Extra colors	Gray Ash wood,

SKU: FUTURA BRINA 6

CATEGORIES: Catering - Food, Futura, Tecfrigo

TAGS: buffet, fixed dome, wood



COLD
ENGINEERING
TECFRIGO

FUTURA BRINA 4

Temperature (°C)	-1/0
Dimensions LxPxH (mm)	1422x750x1430
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	390
Umidity (%)	-
Type of defrost	Manual defrosting
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weigth (Kg)	140
Lock	.
Light	Led
Standard colors	Artic pine coloured wood,
Extra colors	Gray Ash wood,

SKU: FUTURA BRINA 4

CATEGORIES: Catering - Food, Futura, Tecfrigo

TAGS: buffet, fixed dome, wood



COLD
ENGINEERING
TECFRIGO

FUTURA BAHIA 6

Temperature (°C)	-2/0
Dimensions LxPxH (mm)	2073x750x1310
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	350
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	191
Lock	.
Light	Led
Standard colors	Artic pine coloured wood,
Extra colors	Gray Ash wood,

SKU: FUTURA BAHIA 6

CATEGORIES: Catering - Food, Futura, Tecfrigo

TAGS: buffet, fish, horizontal, wall mount



COLD
ENGINEERING
TECFRIGO

FUTURA BAHIA 4

Temperature (°C)	-2/0
Dimensions LxPxH (mm)	1422x750x1310
Refrigeration	Static
Capacity (L)	-
Shelves	-
Absorption (W)	340
Umidity (%)	-
Type of defrost	Automatic defrosting by thermostatic pause
Evaporation	MAN
Voltage (V)	230v/1/50Hz
Refrigerant	R290
Net weight (Kg)	146
Lock	.
Light	Led
Standard colors	Artic pine coloured wood,
Extra colors	Gray Ash wood,

SKU: FUTURA BAHIA 4

CATEGORIES: Catering - Food, Futura, Tecfrigo

TAGS: buffet, fish, horizontal, wall mount

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru