

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru

Технические характеристики на буфеты с подогревом, буфеты, винные буфеты-тележки, буфеты-витрины линии CLASSICA компании **TECFRIGO**

ISola 4 M Bain-Marie

Cosa c'è di nuovo? What's new?

NEW

OPTIONAL:

Carico automatico dell'acqua / Automatic water loading
Chargement automatique de l'eau
Automatisch laden Wasser / Carga automatico de agua

KIT (Accessori - Accessories)



**Accessori
Accessories**

- PORTE SCORREVOLI IN VETRO FUMÉ
- SMOKY GLASS SLIDING DOORS
- PORTES COULISSANTES EN VERRE FUMÉ
- GLASS FUMÉ SCHIEBETÜREN
- PUERTAS CORREDIZAS DE VIDRIO FUMÉ

**Colori standard
Standard colors**



**Colori optional
Optional colors**



									
	°C	mm. (LxPxH)	SOLO h. 150 mm. ONLY h. 150 mm.	Watt Potenza resistenze bagno maria "Bain-marie" heating elements power Puissance des resistances "bain-marie" Leistung der wasserbadheizkörper Potencia resistencias baño maria	Watt Potenza lampade riscaldanti Warming lamps power Puissance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras	Watt Potenza totale Total power Puissance totale Gesamte leistung Potencia total		Kg.	
Isola 4 M Bain-Marie	 +30/+90	1422x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2400 (4x600)	900 (3x300)	3500	230v/1/50Hz	112	di serie
Isola 6 M Bain-Marie	 +30/+90	2062x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	3000 (5x600)	1200 (4x300)	4400	400v/3/50Hz	121	di serie



ISola 4 M Dry

KIT (Accessori - Accessories)

Colori standard
Standard colors

COD. 04 COD. 05 COD. 07

Colori optional
Optional colors

RAL COD. 70

		°C	mm. (LxPxH)	h. MAX 150 mm.	Watt Potenza resistenza vasca Basins heating elements power Puissance des résistances de la cuve Leistung der wanne-heizkörper Potencia resistencias cuba	Watt Potenza lampade riscaldanti Warming lamps power Puissance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras	Watt Potenza totale Total power Puissance totale Gesamte leistung Potencia total		Kg.	
Isola 4 M Dry		+30/+70	1422x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	1400 (2x700)	900 (3x300)	2500	230v/1/50Hz	77	di serie
Isola 6 M Dry		+30/+70	2062x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2100 (3x700)	1200 (4x300)	3500	400v/3/50Hz	106	di serie



Accessori / Accessories

- PORTE SCORREVOLI IN VETRO FUMÉ
- SMOKY GLASS SLIDING DOORS
- PORTES COULISSANTES EN VERRE FUMÉ
- GLASS FUMÉ SCHIEBETÜREN
- PUERTAS CORREDIZAS DE VIDRIO FUMÉ

ISola 4 M Hot



Piastre in vetroceramica
Glass-ceramic plates
Plaques en ceramique de verre
Platten aus glaskeramik
Placas en vidrio-ceramica
ISOLA 4 M HOT: N° 2 mm 530x650
ISOLA 6 M HOT: N° 3 mm 530x650

KIT (Accessori - Accessories)



Accessori
Accessories

- PORTE SCORREVOLI IN VETRO FUMÉ
- SMOKY GLASS SLIDING DOORS
- PORTES COULISSANTES EN VERRE FUMÉ
- GLASS FUMÉ SCHIEBETÜREN
- PUERTAS CORREDIZAS DE VIDRIO FUMÉ

Colori standard
Standard colors



Colori optional
Optional colors



		°C	mm. (LxPxH)	h. MIN 20 mm. h. MAX 65 mm.	Watt	Watt	Watt	Watt	Kg.	
Isola 4 M Hot		+30/+90	1422x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	1200	900 (3x300)	2300	230v/1/50Hz	77	di serie
Isola 6 M Hot		+30/+90	2062x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	1800	1200 (4x300)	3200	230v/1/50Hz	101	di serie



Multiservice 4 Bain-Marie

KIT
(Accessorio - Accessory)

CHIUSURA CON SCORREVOLI IN PLEXIGLASS
SLIDING CLOSING PANELS MADE OF PLEXIGLAS
FERMETURE AVEC PORTES COULISSANTES EN PLEXIGLAS
GLEITVERSCHLUSS AUS PLEXIGLAS
CIERRE CON PUERTAS CORREDIZAS EN PLEXIGLÁS



Cosa c'è di nuovo? What's new?

OPTIONAL:

Carico automatico dell'acqua / Automatic water loading / Chargement automatique de l'eau /
Automatisch laden Wasser / Carga automática de agua

Colori standard
Standard colorsColori optional
Optional colors

		°C	mm. (LxPxH)	SOLO h. 150 mm. ONLY h. 150 mm.	Watt	Watt	Watt	Watt	Kg.	
Multiservice 4 Bain-Marie		+30/+90	1422x750x1348	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2400 (4x600)	200 (2x100)	3100	230v/1/50Hz	129	di serie
Multiservice 6 Bain-Marie		+30/+90	2062x750x1348	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	3000 (5x600)	300 (3x100)	3300	400v/3/50Hz	134	di serie

Multiservice 4 Hot

CHIUSURA CON SCORREVOLI IN PLEXIGLASS
SLIDING CLOSING PANELS MADE OF PLEXIGLAS
FERMETURE AVEC PORTES COULISSANTES EN PLEXIGLAS
GLEITVERSCHLUSS AUS PLEXIGLAS
CIERRE CON PUERTAS CORREDIZAS EN PLEXIGLÁS



**Piastre in vetroceramica / Glass-ceramic plates /
Plaques en ceramique de verre / Platten aus glaskeramik /
Placas en vidrio-ceramica**
N° 2 mm 530x650

Colori standard
Standard colors

COD. 04 COD. 05 COD. 07

Colori optional
Optional colors

RAL COD. 70

									
	°C	mm. (LxPxH)	h. MIN 20 mm. h. MAX 65 mm.	Watt Potenza piastre in vetroceramica Glass-ceramic plates power Puisissance des plaques en ceramique de verre Leistung der platten aus glaskeramik Potencia placas en vidrio-ceramica	Watt Potenza lampade riscaldanti Warming lamps power Puisissance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras	Watt Potenza totale Total power Puisissance totale Gesamte leistung Potencia total		Kg.	
Multiservice 4 Hot	 +30/+90	1422x750x1348	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2300	900 (3x300)	3200	230v/1/50Hz	129	di serie

Cosa c'è di nuovo? What's new?

NEW

OPTIONAL:

Carico automatico dell'acqua
Automatic water loading
Chargement automatique de l'eau
Automatisch laden Wasser
Carga automatico de agua



Murale 4 M Bain-Marie

KIT (Accessorio - Accessory)



									
	°C	mm. (LxPxH)	SOLO h. 150 mm. ONLY h. 150 mm.	Watt	Potenza resistenze bagno maria "Bain-marie" heating elements power Puissance des resistances "bain-marie" Leistung der wasserbadheizkörper Potencia resistencias baño maria	Potenza lampade riscaldanti Warming lamps power Puissance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras	Potenza totale Total power Puissance totale Gesamte leistung Potencia total		
Murale 4 M Bain-Marie	+30/+90	1422x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2400 (4x600)	900 (3x300)	3500	230v/1/50Hz	123	di serie
Murale 6 M Bain-Marie	+30/+90	2062x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	3000 (5x600)	1200 (4x300)	4400	400v/3/50Hz	145	di serie



Colori standard
Standard colors



COD. 04 COD. 05 COD. 07

Colori optional
Optional colors



RAL COD. 70



Murale 4 M Dry



KIT (Accessorio - Accessory)



									
	°C	mm. (LxPxH)	h. MAX 150 mm.	Watt	Watt	Watt		Kg.	
Murale 4 M Dry	+30/+70	1422x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	1400 (4x350)	900 (3x300)	2500	230v/1/50Hz	130	di serie
Murale 6 M Dry	+30/+70	2062x750x1524	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2100 (3x700)	1200 (4x300)	3500	400v/3/50Hz	145	di serie



Colori standard
Standard colors



COD. 04 COD. 05 COD. 07

Colori optional
Optional colors



RAL COD. 70

OASI 4 M BAIN MARIE

Cosa c'è di nuovo? *What's new?*

NEW

OPTIONAL:

Carico automatico dell'acqua / Automatic water loading
 Chargement automatique de l'eau
 Automatisch laden Wasser / Carga automatico de agua

DI SERIE/STANDARD:

Lampade riscaldanti
 Warming lamps

KIT
 (Accessori - Accessories)

Colori standard
Standard colors

COD. 04 COD. 05 COD. 07

Colori optional
Optional colors

RAL COD. 70

		°C	mm. (LxPxH)	SOLO h. 150 mm. ONLY h. 150 mm.	Potenza resistenze bagno maria "Bain-marie" heating elements power Puissance des resistances "bain-marie" Leistung der wasserbadheizkörper Potencia resistencias baño maria	Potenza lampade riscaldanti Warming lamps power Puissance des lampes chauffantes Leistung heizungslampen Potencia de las lamparas calentadoras	Potenza totale Total power Puissance totale Gesamte leistung Potencia total			
Oasi 4 M Bain-Marie		+30/+90	1075x1075x1710	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2400 (4x600)	1200 (4x300)	3600	400v/3/50Hz	125	di serie
Oasi 8 M Bain-Marie		+30/+90	1400x1400x1710	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	3600 (6x600)	1200 (4x300)	4950	400v/3/50Hz	166	di serie

OASI 8 M BAIN MARIE



Oasi 8 M Dry



DI SERIE/STANDARD:
Lampade riscaldanti
Warming lamps

KIT (Accessori - Accessories)



Colori standard
Standard colors



COD. 04 COD. 05 COD. 07

Colori optional
Optional colors



RAL COD. 70

	°C	mm. (LxPxH)	h. MAX 150 mm.	Watt	Watt	Watt		Kg.	
Oasi 8 M Dry	+30/+70	1400x1400x1710	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2800 (4x700)	1200 (4x300)	4150	400v/3/50Hz	161	di serie



NEW

Oasi 4 M Hot



KIT
(Accessori - Accessories)

Colori standard
Standard colors



Colori optional
Optional colors



									
	°C	mm. (LxPxH)	h. MIN 20 mm. h. MAX 65 mm.	Watt	Watt	Watt		Kg.	
NEW Oasi 4 M Hot	+30/+90	1075x1075x1710	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	1200	1200 (4x300)	2400	230v/1/50Hz	101	di serie
Oasi 8 M Hot	+30/+90	1400x1400x1710	Gastronorm 1/4 - 1/3 - 1/2 2/3 - 1/1 - 2/1	2400	1200 (4x300)	3600	400v/3/50Hz	112	di serie

ISOLA 4 M BAIN-MARIE





ISOLA 4 M DRY

ISOLA 4 M HOT

ISOLA 6 M BAIN-MARIE

ISOLA 6 M DRY

ISOLA 6 M HOT



*** ACCESSORI/ ACCESSORIES:**
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulares


BAIN-MARIE



DRY



HOT







• AZIONAMENTO ELETTRICO CUPOLA IN PLEXIGLASS • ELECTRICAL OPERATION OF THE PLEXIGLASS COVER • FONCTIONNEMENT ÉLECTRIQUE DU COUVERCLE EN PLEXIGLASS • ANTRIEB DER PLEXIGLASS HAUBE • ELEVACION ELECTRICO CUPOLA DE PLEXIGLASS

MULTISERVICE 4 BAIN-MARIE

MULTISERVICE 6 BAIN-MARIE

MULTISERVICE 4 HOT



*** ACCESSORI/ ACCESSORIES:**
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulares

BAIN-MARIE



HOT







MURALE 4 M BAIN-MARIE

MURALE 6 M BAIN-MARIE

MURALE 4 M DRY

MURALE 6 M DRY




*** ACCESSORI/ ACCESSORIES:**
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulares

BAIN-MARIE





DRY



• AZIONAMENTO ELETTRICO CUPOLA IN PLEXIGLASS • ELECTRICAL OPERATION OF THE PLEXIGLASS COVER • FONCTIONNEMENT ÉLECTRIQUE DU COUVERCLE EN PLEXIGLASS • ANTRIEB DER PLEXIGLASS HAUBE • ELEVACION ELECTRICO CUPOLA DE PLEXIGLASS


OASI 4 M BAIN-MARIE



*
ACCESSORI/
ACCESSORIES:
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables

• AZIONAMENTO ELETTRICO
CUPOLA IN PLEXIGLASS •
ELECTRICAL OPERATION OF THE
PLEXIGLASS COVER •
FONCTIONNEMENT ÉLECTRIQUE
DU COUVERCLE EN PLEXIGLASS •
ANTRIEB DER PLEXIGLASS HAUBE
• ELEVACION ELECTRICO CUPOLA
DE PLEXIGLASS





BAIN-MARIE

OASI 8 M BAIN-MARIE




OASI 8 M DRY



*
ACCESSORI/
ACCESSORIES:
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables

• AZIONAMENTO ELETTRICO
CUPOLA IN PLEXIGLASS •
ELECTRICAL OPERATION OF THE
PLEXIGLASS COVER •
FONCTIONNEMENT ÉLECTRIQUE
DU COUVERCLE EN PLEXIGLASS •
ANTRIEB DER PLEXIGLASS HAUBE
• ELEVACION ELECTRICO CUPOLA
DE PLEXIGLASS





BAIN-MARIE



DRY


OASI 4 M HOT





*
ACCESSORI/
ACCESSORIES:
Kit portapiatti
Plates holder kit
Kit porte-assiettes
Kit Tabletterutschen
Kit porta-platos

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables

• AZIONAMENTO ELETTRICO
CUPOLA IN PLEXIGLASS •
ELECTRICAL OPERATION OF THE
PLEXIGLASS COVER •
FONCTIONNEMENT ÉLECTRIQUE
DU COUVERCLE EN PLEXIGLASS •
ANTRIEB DER PLEXIGLASS HAUBE
• ELEVACION ELECTRICO CUPOLA
DE PLEXIGLASS




OASI 8 M HOT




*
ACCESSORI/
ACCESSORIES:
Kit portaplati
Plates holder kit
Kit porte-assiettes
Kit Tabletentrutschen
Kit porta-plates

Mensole snodabili
Articulated shelves
Tablettes articulées
Verstellbare Konsole
Estantes articulables

• AZIONAMENTO ELETTRICO
CUPOLA IN PLEXIGLASS •
ELECTRICAL OPERATION OF THE
PLEXIGLASS COVER •
FONCTIONNEMENT ÉLECTRIQUE
DU COUVERCLE EN PLEXIGLASS •
ANTRIEB DER PLEXIGLASS HAUBE
• ELEVACION ELECTRICO CUPOLA
DE PLEXIGLASS



Hot GN 2/1











DRY-GN 2/1



Bain-Marie GN 2/1



ISOLA 4 M BAIN-MARIE / ISOLA 6 M BAIN-MARIE
 ISOLA 4 M DRY / ISOLA 6 M DRY
 MULTISERVICE 4 BAIN-MARIE
 MULTISERVICE 6 BAIN-MARIE
 MURALE 4 M BAIN-MARIE / MURALE 6 M BAIN-MARIE
 MURALE 4 M DRY / MURALE 6 M DRY





- LE VASCHETTE GN SONO FORNITE A RICHIESTA
- GN BASINS ARE AVAILABLE ON REQUEST
- LES BACS GN SONT FOURNIS SUR DEMANDE
- DIE GN SCHALEN WERDEN AUF WUNSCH GELIEFERT
- LAS CUBETAS GN SE ENTREGAN BAJO DEMANDA

ISOLA 4 M HOT / ISOLA 6 M HOT
 MULTISERVICE 4 HOT




- PIASTRE IN VETROCERAMICA GN 2/1,
- GLASS-CERAMIC PLATES GN 2/1,
- PLAQUES EN CERAMIQUE DE VERRE GN 2/1,
- PLATTEN AUS GLASKERAMIK GN 2/1,
- PLACAS EN VIDRIO-CERAMICA GN 2/1





OASI 4 M BAIN-MARIE


• BACINELLE GASTRONORM • GASTRONORM BASINS • CUVETTES GASTRONORM • SCHALEN GASTRONORM • CUBETAS GASTRONORM



- LE VASCHETTE GN SONO FORNITE A RICHIESTA
- GN BASINS ARE AVAILABLE ON REQUEST
- LES BACS GN SONT FOURNIS SUR DEMANDE
- DIE GN SCHALEN WERDEN AUF WUNSCH DELIEFERT
- LAS CUBETAS GN SE ENTREGAN BAJO DEMANDA

OASI 8 M BAIN-MARIE / OASI 8 M DRY


• BACINELLE GASTRONORM • GASTRONORM BASINS
• CUVETTES GASTRONORM • SCHALEN GASTRONORM
• CUBETAS GASTRONORM



- LE VASCHETTE GN SONO FORNITE A RICHIESTA
- GN BASINS ARE AVAILABLE ON REQUEST
- LES BACS GN SONT FOURNIS SUR DEMANDE
- DIE GN SCHALEN WERDEN AUF WUNSCH DELIEFERT
- LAS CUBETAS GN SE ENTREGAN BAJO DEMANDA




OASI 4 M HOT



- PIASTRE IN VETROCERAMICA GN 1/1,
- GLASS-CERAMIC PLATES GN 1/1,
- PLAQUES EN CERAMIQUE DE VERRE GN 1/1,
- PLATTEN AUS GLASKERAMIK GN 1/1,
- PLACAS EN VIDRIO-CERAMICA GN 1/1

OASI 8 M HOT



- PIASTRE IN VETROCERAMICA GN 2/1,
- GLASS-CERAMIC PLATES GN 2/1,
- PLAQUES EN CERAMIQUE DE VERRE GN 2/1,
- PLATTEN AUS GLASKERAMIK GN 2/1,
- PLACAS EN VIDRIO-CERAMICA GN 2/1

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.tecfrigo.nt-rt.ru | | tog@nt-rt.ru